

# VIMAL JYOTHI ENGINEERING COLLEGE JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### **Table of Contents**

SI. No	Content
1	Feedback analysis report of 2022-23
2	Feedback analysis report of 2021-22
3	Feedback analysis report of 2020-21
4	Feedback analysis report of 2019-20
5	Feedback analysis report of 2018-19



YOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1


## Report of the Faculty feedback report on "Academic performance and ambience of the Institution" 2022-23

Vimal Jyothi Engineering College Chemperi, Kannur obtained feedback on the Academic performance and Ambience of the Institution in the academic year 2022-23.

1 . Do you feel that the syllabus leads to innovation? If yes, how would you rate it?

Do you feel that the	Needs improvement	Average	Satisfactory	Good	Excellent
syllabus leads to innovation? If yes, how would you rate it.	0	7	33	47	30

Do you feel that the syllabus leads to innovation? If yes, how would you rate it? 117 responses





YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2


Criterion: 1.4.1

2. Rate the clarity of COs and whether it is appropriate to the program.

Rate the clarity of COs and	Needs improvement	Average	Satisfactory	Good	Excellent
whether it is appropriate to the program.	0	0	22	61	34

Rate the clarity of COs and whether it is appropriate to the program.

117 responses



#### 3. Academic performance of the students in the mentioned course

P 0	Needs improvement	Average	Satisfactory	Good	Excellent
the students in the mentioned course	0	7	62	40	8



JYOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Academic performance of the students

117 responses



4. Potential of the curriculum in developing the habit of self-learning among the students

Potential of the curriculum in	Needs improvement	Average	Satisfactory	Good	Excellent
developing the habit of self-learning among the students	1	18	53	35	10



IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

Potential of the curriculum in developing the habit of self-learning among the students.

117 responses



#### 5. Standard and Relevance of the text/reference books provided.

Standard and Relevance of	Needs improvement	Average	Satisfactory	Good	Excellent
the text/reference books provided.	0	3	17	62	35



IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Standard and Relevance of the text/reference books provided.

117 responses



#### 6. Rating of the overall academic ambience of the institution

Rating of the overall academic ambience of the institution	Needs improvement	Average	Satisfactory	Good	Excellent
	0	3	10	42	62



IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Rating of the overall academic ambience of the institution

117 responses



7. How will you rate the flexibility provided in terms of mode of teaching and assessment options?

How will you rate the flexibility	Needs improvement	Average	Satisfactory	Good	Excellent
provided in terms of mode of teaching and assessment options?	0	3	29	52	33




IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

How will you rate the flexibility provided in terms of mode of teaching and assessment options? 117 responses




8. To what extent the course supports practical and experiential learning?

To what extent the course supports practical and experiential learning?	Needs improvement	Average	Satisfactory	Good	Excellent
	2	4	29	49	33

To what extent the institution supports practical and experiential learning?

117 responses





YOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1


## Report of the Faculty feedback report on "Academic performance and ambience of the Institution" 2021-22

Vimal Jyothi Engineering College Chemperi, Kannur obtained feedback on the Academic performance and Ambience of the Institution in the academic year 2021-22.

1. Do you feel that the syllabus leads to innovation? If yes, how would you rate it?.

Do you feel that the	Needs improvement	Average	Satisfactory	Good	Excellent
syllabus leads to innovation? If yes, how would you rate it.	0	4	21	42	14

Do you feel that the syllabus leads to innovation? If yes, how would you rate it? 81 responses





JYOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2


Criterion: 1.4.1

#### 2. Rate the clarity of COs and whether it is appropriate to the program.

Rate the clarity of COs and	Needs improvement	Average	Satisfactory	Good	Excellent
whether it is appropriate to the program.	0	0	20	49	12

Rate the clarity of COs and whether it is appropriate to the program.

81 responses



#### 3. Academic performance of the students .

Academic performance of	Needs improvement	Average	Satisfactory	Good	Excellent
the students in the mentioned	0	2	35	38	6
course					



IYOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Academic performance of the students

81 responses



4. Potential of the curriculum in developing the habit of self-learning among the students

Potential of the curriculum in	Needs improvement	Average	Satisfactory	Good	Excellent
developing the habit of self-learning among the students	0	6	29	41	5



IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

Potential of the curriculum in developing the habit of self-learning among the students.

81 responses



#### 5. Standard and Relevance of the text/reference books provided.

Standard and Relevance of	Needs improvement	Average	Satisfactory	Good	Excellent
the text/reference books provided.	0	6	29	41	5



YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

Potential of the curriculum in developing the habit of self-learning among the students.

81 responses




#### 6. Rating of the overall academic ambience of the institution

Rating of the overall academic	Needs improvement	Average	Satisfactory	Good	Excellent
ambience of the institution	0	0	3	34	44

### Rating of the overall academic ambience of the institution

81 responses





YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in


NAAC Cycle 2

Criterion: 1.4.1

7. How will you rate the flexibility provided in terms of mode of teaching and assessment options?

How will you rate the flexibility	Needs improvement	Average	Satisfactory	Good	Excellent
provided in terms of mode of teaching and assessment options?	0	1	12	49	19

How will you rate the flexibility provided in terms of mode of teaching and assessment options? 81 responses



8. To what extent the course supports practical and experiential learning?

To what extent the course supports	Needs improvement	Average	Satisfactory	Good	Excellent
practical and experiential learning?	0	1	19	51	10




IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

To what extent the institution supports practical and experiential learning? 81 responses





JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1


## Report of the Faculty feedback report on "Academic performance and ambience of the Institution" 2020-21

Vimal Jyothi Engineering College Chemperi, Kannur obtained feedback on the Academic performance and Ambience of the Institution in the academic year 2020-21.

1. Do you feel that the syllabus leads to innovation? If yes, how would you rate it?.

Do you feel that the	Needs improvement	Average	Satisfactory	Good	Excellent
syllabus leads to innovation? If yes, how would you rate it.	0	5	21	36	16

Do you feel that the syllabus leads to innovation? If yes, how would you rate it? 78 responses



2. Rate the clarity of COs and whether it is appropriate to the program.



YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in


NAAC Cycle 2

Criterion: 1.4.1

Rate the clarity of COs and	Needs improvement	Average	Satisfactory	Good	Excellent
whether it is appropriate to the program.	0	0	22	43	13

Rate the clarity of COs and whether it is appropriate to the program.

78 responses



#### 3. Academic performance of the students .

Academic performance of	Needs improvement	Average	Satisfactory	Good	Excellent
the students in the mentioned course	0	3	40	30	5



YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Academic performance of the students


78 responses



4. Potential of the curriculum in developing the habit of self-learning among the students

Potential of the curriculum in	Needs improvement	Average	Satisfactory	Good	Excellent
developing the habit of self-learning among the students	0	8	25	41	4

Potential of the curriculum in developing the habit of self-learning among the students. 78 responses





YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2


Criterion: 1.4.1

#### 5. Standard and Relevance of the text/reference books provided.

Standard and Relevance of	Needs improvement	Average	Satisfactory	Good	Excellent
the text/reference books provided.	0	2	17	44	15

#### Standard and Relevance of the text/reference books provided.

78 responses



#### 6. Rating of the overall academic ambience of the institution

Rating of the overall academic	Needs improvement	Average	Satisfactory	Good	Excellent
ambience of the institution	0	0	3	31	44



YOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Rating of the overall academic ambience of the institution

78 responses



7. How will you rate the flexibility provided in terms of mode of teaching and assessment options?

How will you rate the flexibility	Needs improvement	Average	Satisfactory	Good	Excellent
provided in terms of mode of teaching and assessment options?	0	1	12	48	17




IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1


How will you rate the flexibility provided in terms of mode of teaching and assessment options? 78 responses



8. To what extent the course supports practical and experiential learning?

To what extent the course supports	Needs improvement	Average	Satisfactory	Good	Excellent
practical and experiential learning?	0	1	22	43	12

To what extent the institution supports practical and experiential learning? 78 responses





JYOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1


## Report of the Faculty feedback report on "Academic performance and ambience of the Institution" 2019-20

Vimal Jyothi Engineering College Chemperi, Kannur obtained feedback on the Academic performance and Ambience of the Institution in the academic year 2019-20.

1. Do you feel that the syllabus leads to innovation? If yes, how would you rate it?

Do you feel that the	Needs improvement	Average	Satisfactory	Good	Excellent
syllabus leads to innovation? If yes, how would you rate it.	0	1	8	34	17

Do you feel that the syllabus leads to innovation? If yes, how would you rate it? 60 responses



2. Rate the clarity of COs and whether it is appropriate to the program.

Rate the clarity of COs and	Needs improvement	Average	Satisfactory	Good	Excellent
whether it is appropriate to the program.	0	1	5	32	22



IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

Rate the clarity of COs and whether it is appropriate to the program.

60 responses




#### 3. Academic performance of the students .

Academic performance of	Needs improvement	Average	Satisfactory	Good	Excellent
the students in the mentioned course	0	1	6	26	27

#### Academic performance of the students

60 responses





YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in


NAAC Cycle 2

Criterion: 1.4.1

4. Potential of the curriculum in developing the habit of self-learning among the students

Potential of the curriculum in	Needs improvement	Average	Satisfactory	Good	Excellent
developing the habit of self-learning among the students	0	2	7	26	25

Potential of the curriculum in developing the habit of self-learning among the students. 60 responses



5. Standard and Relevance of the text/reference books provided.

Standard and Relevance of	Needs improvement	Average	Satisfactory	Good	Excellent
the text/reference books provided.	0	0	7	23	30



JYOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Standard and Relevance of the text/reference books provided.


60 responses



#### 6. Rating of the overall academic ambience of the institution

Rating of the overall academic	Needs improvement	Average	Satisfactory	Good	Excellent
ambience of the institution	0	0	5	26	29

## Rating of the overall academic ambience of the institution 60 responses





YOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in


NAAC Cycle 2

Criterion: 1.4.1

7. How will you rate the flexibility provided in terms of mode of teaching and assessment options?

How will you rate the flexibility	Needs improvement	Average	Satisfactory	Good	Excellent
provided in terms of mode of teaching and assessment options?	0	0	6	28	26

How will you rate the flexibility provided in terms of mode of teaching and assessment options? 60 responses



8. To what extent the course supports practical and experiential learning?

To what extent the course supports	Needs improvement	Average	Satisfactory	Good	Excellent
practical and experiential learning?	0	0	6	29	25




YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

To what extent the institution supports practical and experiential learning? 60 responses





YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1


## Report of the Faculty feedback report on "Academic performance and ambience of the Institution" 2018-19

Vimal Jyothi Engineering College Chemperi, Kannur obtained feedback on the Academic performance and Ambience of the Institution in the academic year 2018-19.

1. Do you feel that the syllabus leads to innovation? If yes, how would you rate it?

Do you feel that the	Needs improvement	Average	Satisfactory	Good	Excellent
syllabus leads to innovation? If yes, how would you rate it.	15	32	7	1	0

Do you feel that the syllabus leads to innovation? If yes, how would you rate it? 55 responses





YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2


Criterion: 1.4.1

2. Rate the clarity of COs and whether it is appropriate to the program.

Rate the clarity of COs and	Needs improvement	Average	Satisfactory	Good	Excellent
whether it is appropriate to the program.	19	31	5	0	0

Rate the clarity of COs and whether it is appropriate to the program.

55 responses



#### 3. Academic performance of the students.

P	Needs improvement	Average	Satisfactory	Good	Excellent
the students in the mentioned course	28	24	3	0	0



IYOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Academic performance of the students

55 responses



4. Potential of the curriculum in developing the habit of self-learning among the students

Potential of the curriculum in	Needs improvement	Average	Satisfactory	Good	Excellent
developing the habit of self-learning among the students	21	26	8	0	0




IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

Potential of the curriculum in developing the habit of self-learning among the students. 55 responses



#### 5. Standard and Relevance of the text/reference books provided.

Standard and Relevance of	Needs improvement	Average	Satisfactory	Good	Excellent
the text/reference books provided.	23	26	5	1	0



IYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA


Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

#### Standard and Relevance of the text/reference books provided.


55 responses



#### 6. Rating of the overall academic ambience of the institution

Rating of the overall academic ambience of the institution	Needs improvement	Average	Satisfactory	Good	Excellent
	29	20	6	0	0

## Rating of the overall academic ambience of the institution 55 responses





YOTHI NAGAR, CHEMPERI – 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in


NAAC Cycle 2

Criterion: 1.4.1

7. How will you rate the flexibility provided in terms of mode of teaching and assessment options?

How will you rate the flexibility	Needs improvement	Average	Satisfactory	Good	Excellent
provided in terms of mode of teaching and assessment options?	25	26	3	1	0

How will you rate the flexibility provided in terms of mode of teaching and assessment options? 55 responses



8. To what extent the course supports practical and experiential learning?

To what extent the course supports practical and experiential learning?	Needs improvement	Average	Satisfactory	Good	Excellent
	22	26	6	1	0



YOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 1.4.1

To what extent the institution supports practical and experiential learning? 55 responses

