



# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

## Applied Electronics and Instrumentation Engineering

### Overall levels of attainment

Batch : 2017-21

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AE202	1.55	1.55	-	1.38	1.14	-	-	-	1.38	-	1.48	1.68	-	0.92
AE204	1.55	1.27	0.78	-	0.78	-	0.77	-	-	-	-	-	2.34	1.72
AE232	2	2	-	-	2	-	-	1	1	1	2	1.33	2.33	2.33
AE301	2.73	2.57	2.41	2.4	1.93	1.77	0.98	0.98	1.95	-	-	0.96	1.12	2.89
AE302	1.58	1.26	0.95	-	0.94	-	-	-	1.42	0.91	-	-	1.27	1.15
AE303	0.91	0.91	-	-	-	-	-	0.59	-	-	-	-	0.59	0.59
AE304	1.88	0.94	0.94	-	0.94	-	0.94	-	-	-	-	0.94	1.88	2.82
AE306	2.93	2.68	2.45	0.98	1.47	0.98	-	-	1.7	-	-	1	-	1.47
AE307	2.13	2	2.06	-	1.58	-	-	-	-	-	-	1.61	-	0.79
AE308	2.21	0.69	0.69	-	1.2	-	-	-	-	-	0.74	2.21	0.74	1.47
AE312	1.48	1.97	1.97	1.32	1	-	-	-	-	-	-	0.98	1.48	1.48
AE332	1.6	0.8	0.8	-	-	-	-	-	-	-	-	-	0.8	1.6
AE334	1.07	1.2	1.6	0.8	1.2	0.8	-	-	0.8	-	-	0.8	0.8	1.07
AE341	1.67	1	1.33	-	-	1	-	-	-	-	-	1.67	1.33	1.67
AE362	1.27	0.85	-	-	-	0.74	0.79	0.74	1.48	0.74	-	-	0.99	1.17
AE365	2.34	-	-	-	-	1.39	1.85	-	-	-	-	0.88	1.38	0.64
AE401	2.4	2	2.2	-	2.33	-	-	3	-	-	3	3	2	2
AE402	2.13	-	2.59	-	1.5	-	1.93	-	-	-	-	-	1.69	1.75
AE403	2.75	-	2.5	-	-	2	-	-	-	-	-	1	2	1.5
AE405	1.54	0.94	1.18	-	-	-	-	-	-	-	-	1.46	0.87	0.68
AE407	1.9	0.95	-	-	-	-	-	-	-	-	-	-	2.85	2.85
AE409	1.32	0.75	0.7	-	0.83	-	1.93	-	-	-	-	0.82	1.65	0.82
AE410	2	1	-	-	1	-	-	-	2	-	1.5	1.5	2	1
AE431	3	2	2	1	2	1	-	1	2	-	-	1	1	2
AE451	2	1	-	-	3	-	-	-	-	2	2	2	3	3
AE463	1.01	0.98	1.29	1.24	1.21	1.33	1.01	-	-	1.91	-	1.37	1.04	0.98
AE466	2.98	2.18	-	2.5	-	-	-	-	-	-	-	-	1.99	0.99
AE492	1.4	2.33	2.79	2.79	2.33	0.93	0.93	0.93	2.79	1.86	2.79	0.93	2.79	1.86
CE488	1	-	-	-	1.57	2.29	1.27	-	2.51	1.79	-	1.85	1	0.68
EC201	1.5	1.75	1.6	1.05	0.8	-	-	-	-	-	-	1.83	-	1.38
EC203	1.63	1.07	1.44	0.69	-	-	-	-	-	-	-	0.73	0.7	1.04
EC204	1.57	1.97	0.86	-	-	-	0.8	-	-	-	-	0.78	0.91	0.91
EC205	0.46	1.22	0.57	-	-	-	-	-	-	-	-	-	0.81	0.41
EC207	1.91	1.55	1.23	0.62	-	0.82	-	-	-	-	-	0.82	0.73	1.46
EC230	2.67	2.33	1.67	2	-	1	-	-	2.25	-	-	1.5	1.5	1.5
EC231	-	2	1	2	1	-	-	-	-	-	-	1	2	-
EC232	2.39	2.25	2.56	0.94	1.44	-	1.1	-	1	-	-	1.46	2.08	1.91





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

EE216	1.7	1.48	1.83	1.68	1.71	1.7	1.68	1.55	1.87	1.69	1.54	2.04	1.55	1.69
EE337	2.2	1.89	0.95	1.56	-	2.51	-	-	1.73	-	-	1.46	1.73	2.34
HS200	0.75	1.49	1.49	0.75	1.49	0.75	-	-	0.75	-	0.75	0.75	0.65	-
HS210	3	3	-	-	-	1	-	2.55	1.71	3	1.21	-	-	-
HS300	0.96	1.29	1.17	0.95	1.25	1.92	1.92	2.88	0.96	0.96	0.96	0.96	0.96	0.96
MA201	1.92	0.87	-	-	-	-	-	-	-	-	-	-	-	0.64
MA204	2.42	2.16	1.75	0.79	-	-	-	-	-	-	-	-	-	0.81
PH100	0.37	0.32	0.48	-	0.48	-	0.27	-	-	-	-	-	0.32	0.32
<b>Avarage Direct Attainment</b>	<b>1.81</b>	<b>1.52</b>	<b>1.51</b>	<b>1.37</b>	<b>1.41</b>	<b>1.33</b>	<b>1.21</b>	<b>1.52</b>	<b>1.63</b>	<b>1.59</b>	<b>1.63</b>	<b>1.32</b>	<b>1.44</b>	<b>1.41</b>
<b>Average Indirect Attainment</b>	<b>2.11</b>	<b>1.8</b>	<b>1.81</b>	<b>1.51</b>	<b>1.67</b>	<b>1.47</b>	<b>1.48</b>	<b>1.68</b>	<b>1.83</b>	<b>1.7</b>	<b>1.81</b>	<b>1.46</b>	<b>1.67</b>	<b>1.65</b>
<b>Total</b>	<b>1.87</b>	<b>1.58</b>	<b>1.57</b>	<b>1.4</b>	<b>1.46</b>	<b>1.36</b>	<b>1.26</b>	<b>1.55</b>	<b>1.67</b>	<b>1.61</b>	<b>1.67</b>	<b>1.35</b>	<b>1.75</b>	<b>1.73</b>

## Applied Electronics and Instrumentation Engineering Overall levels of attainment

Batch : 2018-22

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AE202	1.62	1.62	-	1.46	1.21	-	-	-	1.46	-	1.46	1.62	-	0.97
AE204	1.81	1.47	0.89	-	0.89	-	0.86	-	-	-	-	-	2.67	1.94
AE232	2	2	-	-	2	-	-	1	1	1	1.5	1.25	2.25	2.25
AE301	2.2	2.07	1.92	1.93	1.57	1.42	0.92	0.92	1.83	-	-	0.79	0.92	2.36
AE302	1.11	0.82	0.65	-	0.67	-	-	-	0.36	0.88	-	-	0.84	0.91
AE303	1.44	1.44	-	-	-	-	-	0.95	-	-	-	-	0.96	0.96
AE304	1.67	0.84	0.84	-	0.84	-	0.84	-	-	-	-	0.84	1.68	2.51
AE305	1.35	1.33	1.4	1.82	-	-	-	-	0.98	-	-	0.98	1.16	1.33
AE306	1.99	1.9	1.5	0.56	0.83	0.66	-	-	1.24	-	-	0.34	-	0.83
AE307	2.23	2.1	2.19	-	1.7	-	-	-	-	-	-	1.65	-	0.85
AE308	2.34	0.89	0.89	-	1.37	-	-	-	-	-	0.78	2.34	0.78	1.56
AE312	1.43	1.91	1.91	1.27	0.95	-	-	-	-	-	-	0.95	1.43	1.43
AE331	3	2	2.67	-	3	1	-	-	1	-	-	-	2	1
AE332	2	1	1	-	-	-	-	-	-	-	-	-	1	2
AE334	1.33	1.5	2	1	1.5	1	-	-	1	-	-	1	1	1.33
AE341	1.67	1	1.33	-	-	1	-	-	-	-	-	1.67	1.33	1.67
AE352	0.72	0.72	-	-	0.36	-	0.36	-	-	-	-	0.72	0.36	0.36
AE362	1.46	0.87	-	-	-	0.92	1.12	0.92	1.84	0.92	-	-	1.33	1.34
AE365	2.07	-	-	-	-	1.24	1.54	-	-	-	-	0.77	1.35	0.88
AE401	2.11	1.73	1.92	-	1.81	-	-	1.7	-	-	2.84	1.7	1.65	1.92
AE402	1.98	-	2.33	-	1.39	-	1.79	-	-	-	-	-	1.55	1.59
AE403	2.47	1.6	1.52	-	-	-	-	-	-	-	-	-	2.47	1.59
AE405	1.18	0.76	0.37	-	-	-	-	-	-	-	-	1.27	0.69	0.27





# VIMAL JYOTHI ENGINEERING COLLEGE

**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

**NAAC Cycle 2**

**Criterion: 2.6.2**

AE407	1.59	1.83	1.79	0.91	1.22	-	-	-	-	-	-	0.91	1.35	1.83
AE409	1.54	0.93	0.95	-	0.93	-	1.83	-	-	-	-	0.92	1.85	0.92
AE410	1.97	0.98	-	-	0.98	-	-	-	1.97	-	1.48	1.48	1.97	0.98
AE431	3	2	2	1	2	1	-	1	2	-	-	1	2	3
AE451	2	1	-	-	3	-	-	-	-	2	2	2	1	1
AE463	1.46	1.36	1.62	1.47	1.62	1.75	1.36	-	-	-	-	1.47	1.46	1.3
AE466	2.92	2.16	2.42	-	2.47	-	-	-	-	-	-	-	1.94	0.97
AE492	0.48	0.48	0.32	0.4	0.24	0.32	0.32	0.32	0.48	0.48	0.32	0.48	0.48	0.4
BE101-04	1.89	1	-	-	-	-	2.87	-	1.27	1.91	-	2.68	-	-
BE100	2.71	2.55	1.85	0.91	-	-	-	-	-	-	-	-	-	-
BE102	2.98	1.98	0.99	-	-	-	3	-	1.95	-	-	-	-	-
BE103	2.92	1.95	1.97	1.48	1.95	2.59	2.92	1.98	-	-	1.7	1.95	-	0.98
BE110	2.67	2.41	-	-	3	-	-	-	-	2.67	-	-	-	-
CE110	1.99	-	-	-	-	-	-	1	1.99	1	1	1.99	1	1
CY100	2.08	2.24	2.31	-	-	-	-	-	-	-	-	-	-	-
CY110	0.95	1.12	1.5	-	-	-	-	-	-	-	-	-	-	-
EC110	1.6	1.33	1	-	1	-	-	-	2	1	-	-	-	-
EC201	1.25	1.49	1.39	0.97	0.93	-	-	-	-	-	-	1.6	-	1.1
EC203	2	1.37	1.7	0.86	-	-	-	-	-	-	-	0.85	0.85	1.29
EC204	1.61	2.06	0.89	0.88	-	-	0.85	-	-	-	-	0.78	0.93	0.95
EC205	0.91	1.55	1.16	-	-	-	-	-	-	-	0.78	-	1.55	0.78
EC207	1.01	0.68	-	-	-	-	-	0.57	-	-	-	1.14	0.57	-
EC230	0.8	2	-	-	-	-	-	-	-	-	0.8	-	0.8	-
EC231	2	2	2	2.4	1.6	0.8	0.8	1.6	2.4	2	0.8	0.8	2	1.2
EC232	2	3	3	2	3	-	-	-	-	-	-	1	2	2
EE100	2.19	1.93	0.88	1.66	-	1.96	2.94	-	-	-	-	1.29	1.78	2.06
EE110	3	1.67	2	-	1	-	-	-	3	-	1	1	2	1
EE216	2.8	2.64	2.47	1.65	-	0.99	-	-	-	-	1.48	1.48	2.8	1.98
EE337	2.33	2	1	1.67	-	2.67	-	-	1.83	-	-	1.5	1.83	2.4
FS482	0.95	-	0.95	-	-	1.89	1.89	2.84	0.95	0.95	0.95	0.95	0.95	0.95
HS200	2	1.5	2.25	2	2	1.33	1.75	2	1.67	2	2	1.75	2	2.25
HS210	2.91	2.91	-	-	-	0.97	-	-	3	2.95	0.97	-	-	-
HS300	0.79	1.12	1.07	1	0.69	1.57	1.57	2.36	0.79	0.79	0.79	0.79	0.79	0.79
MA101	2.88	2.4	-	-	-	-	-	-	-	-	-	-	-	0.96
MA102	2.36	2.36	1.57	0.75	-	-	-	-	-	-	-	-	-	-
MA201	2.19	1.25	-	-	-	-	-	-	-	-	-	-	-	-
MA204	2.55	2.31	1.85	0.71	-	-	-	-	-	-	-	-	-	-
ME100	2.93	1.88	0.94	-	-	0.99	0.99	-	-	-	-	-	-	0.99
ME110	2	-	1	-	-	-	-	-	3	-	-	-	-	2
PH100	1.97	2.13	2	-	2.8	-	-	-	-	-	-	-	-	-
PH110	2.17	2.4	2.2	-	3	-	-	-	-	-	-	-	-	-





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

<b>Average Direct Attainment</b>	1.93	1.65	1.55	1.28	1.58	1.3	1.53	1.37	1.63	1.47	1.26	1.25	1.43	1.37
<b>Average Indirect Attainment</b>	2.22	1.92	1.78	1.52	1.77	1.49	1.78	1.71	1.89	1.79	1.43	1.54	1.66	1.57
<b>Total</b>	1.99	1.71	1.6	1.33	1.61	1.34	1.58	1.44	1.68	1.53	1.29	1.31	1.74	1.69

## Applied Electronics and Instrumentation Engineering

Overall levels of attainment

Batch: 2019-23

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AEL204	2.94	-	2	1.5	3	3	-	2.94	2.94	1.96	2	1.98	1.96	1.96
AET206	2.25	2	-	-	0.86	-	-	-	-	-	-	0.85	1.71	0.85
AET301	2.22	1.96	1.17	-	-	-	-	-	-	-	-	-	1.16	2.51
AET302	2.65	2.46	2.46	-	2.59	-	-	-	-	-	-	2.65	1.27	1.27
AET303	1.82	1.82	-	-	-	-	-	-	-	-	-	1.21	1.82	1.82
AET304	2.96	2.96	-	-	1.97	-	-	-	-	-	1.98	-	2.96	2.96
AET305	2.52	2.52	2.54	2.54	2.54	-	-	-	-	-	-	2.52	1.68	1.68
AET306	2.6	2.6	-	-	1.73	-	-	-	-	-	-	1.73	-	-
AET307	1.53	1.53	0.79	1.02	0.93	-	-	-	-	-	-	0.51	0.47	1.02
AET308	1.08	1.08	0.72	-	-	-	-	-	-	-	-	1.08	0.94	1.01
AEL331	2.49	-	1.66	1.55	2.24	2.49	-	2.49	2.49	1.66	0.72	1.76	2.49	2.49
AEL332	3	3	-	-	3	-	-	-	3	-	-	2.67	1	1
AEL333	3	-	3	2.5	3	3	-	-	3	-	3	3	2	2
AED334	3	3	3	2	-	3	-	3	3	3	3	2	2	3
AET342	2.81	-	-	-	-	2.81	2.81	-	-	-	-	2.81	2.17	2.48
AET393	2.38	2.38	-	-	-	-	-	-	-	-	-	1.58	0.79	2.11
AET401	1.88	1.88	-	-	-	-	-	-	-	-	-	1.88	0.58	0.7
AET402	2.19	2.19	1.45	-	2.19	-	-	-	-	-	-	2.19	-	0.74
AEL411	2.62	2.62	1.74	1.74	2.62	-	-	1.74	2.62	1.74	-	2.62	1.74	1.74
AEQ413	2.8	2.75	2	2.33	2.33	2	1	1.33	-	2.33	-	3	3	3
AED415	0.72	0.84	0.84	0.36	0.65	0.9	0.9	0.63	0.58	0.72	0.63	0.48	0.9	0.96
AED416	2	2.33	2.33	1	1.8	2.5	2.5	1.75	1.8	2	1.6	1.33	3	2
AET423	2.79	2.79	2.58	-	-	-	-	-	-	-	-	2.79	2.06	2.05
AET424	2.86	2.86	-	-	2.91	-	-	-	2.97	2.97	-	2.89	1.93	1.93
AET468	2.8	2.8	1.86	1.86	-	-	-	-	-	-	-	2.8	1.86	0.93
AET476	2.99	1.99	-	-	-	-	-	-	-	-	-	2.99	1.99	1.99
CET415	1.86	-	-	2.14	1.36	1.93	2.08	2.28	-	2.28	-	-	-	-
CST283	1.31	1.31	1.8	0.4	1.31	0.88	1.52	-	-	0.68	0.73	1.31	-	-
CST284	2.12	2.12	2.12	2.02	0.6	1.54	-	-	-	0.6	-	2.12	2.12	2.12
CST383	2.44	2.44	2.44	2.44	2.44	2.52	-	-	-	-	-	2.44	-	-
CST445	1.22	1.59	1.28	-	-	-	-	-	-	-	-	1.68	1.33	1.33





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2


Criterion: 2.6.2

CYT100	0.76	0.81	0.7	0.66	1.29	-	2.1	-	-	-	-	-	-	-
CYL120	2.49	-	-	-	1.8	-	-	-	-	-	-	2.49	-	-
ECL201	3	3	1.57	1.86	3	-	-	-	3	1.5	-	1.4	2	2.14
ECT201	2.57	2.48	-	-	-	-	-	-	-	-	-	-	-	1.25
ECL202	1.41	1.41	1.41	-	1.43	-	-	-	1.09	-	-	1.09	0.96	-
ECT202	2.38	2.38	-	-	-	-	-	-	-	-	-	1.59	-	0.79
ECL203	2.83	1.83	1.83	3	2.89	-	-	-	2.83	1	-	2.83	1.86	1.61
ECT203	2.69	2.69	2.65	-	2.76	-	-	-	-	-	-	-	1.8	2.52
ECT204	2.04	2.04	1.95	-	-	-	-	-	-	-	-	-	-	-
ECT205	2.02	2.02	-	-	-	-	-	-	-	-	-	1.35	0.67	0.67
EST102	2.79	2.02	1.7	1.7	2.78	-	-	-	-	1.09	1.7	0.93	-	0.93
EST110	2.31	0.77	-	-	2.92	-	-	-	-	1.71	-	-	-	-
ESL120	1.35	-	-	-	0.97	0.97	-	2	1.95	1.95	1	0.94	-	-
EST120	2.28	1.22	-	0.76	1.96	1.95	1.56	1.92	1.23	-	-	-	-	-
ESL130	2.6	-	-	1	-	2	-	1	3	1.67	-	1.67	1	1
EST130	2.73	0.87	-	-	-	-	-	-	-	-	-	1.8	1.39	1.39
EST200	1.87	1.47	2	-	-	1	0.97	1	2	1.47	-	1.5	1.95	1.95
HUN102	1.64	0.91	-	-	2.27	-	-	-	1.63	-	-	1.95	0.87	0.91
HUT200	-	-	-	-	-	1	-	2.6	-	-	2	-	-	-
HUT300	1.98	1.97	0.98	-	2	1.49	3	-	-	-	2.96	-	-	-
HUT310	1.77	1.67	1.67	1.67	0.84	1.09	1.17	1.41	0.88	1.55	1.01	0.82	0.84	0.84
MAT101	1.72	1.61	1.72	1.61	1.04	0.57	-	-	0.57	1.15	-	1.15	-	-
MAT102	2.64	2.64	2.64	2.64	1.76	0.88	-	-	0.88	1.76	-	1.76	-	-
MAT201	2.29	2.29	2.29	2.29	1.53	0.76	-	-	-	1.53	-	1.53	-	-
MAT204	2.94	1.96	1.96	1.96	1.96	-	-	-	-	1.96	-	0.98	-	-
MCN201	-	-	-	-	-	1.74	2.61	-	-	-	-	1.74	-	-
MCN202	-	-	-	-	-	2.08	1.71	2.08	-	2.02	-	-	0.97	-
MCN301	2.19	2.77	2.33	1.98	1.98	1.77	2.59	1.08	-	2.66	-	1.77	-	-
MCN401	1.98	1.78	1.97	1	0.99	1.19	1.19	1.19	0.98	0.98	-	0.99	0.99	0.99
MET445	2.88	2.85	-	-	0.95	0.95	0.95	-	-	-	0.95	2.88	1.9	-
PHT100	2.65	1.41	-	-	-	-	-	0.88	1.76	-	-	0.88	0.88	0.88
PHL120	3	-	-	-	2	-	-	1	2	-	-	1	1	1
<b>Average Direct Attainment</b>	<b>2.29</b>	<b>2.05</b>	<b>1.87</b>	<b>1.7</b>	<b>1.93</b>	<b>1.7</b>	<b>1.79</b>	<b>1.7</b>	<b>2.01</b>	<b>1.69</b>	<b>1.66</b>	<b>1.8</b>	<b>1.56</b>	<b>1.58</b>
<b>Average Indirect Attainment</b>	<b>2.75</b>	<b>2.53</b>	<b>2.36</b>	<b>2.04</b>	<b>2.31</b>	<b>2.03</b>	<b>2.16</b>	<b>2.01</b>	<b>2.24</b>	<b>1.99</b>	<b>1.88</b>	<b>2.17</b>	<b>1.86</b>	<b>1.9</b>
<b>Total</b>	<b>2.39</b>	<b>2.15</b>	<b>1.96</b>	<b>1.77</b>	<b>2.01</b>	<b>1.77</b>	<b>1.86</b>	<b>1.76</b>	<b>2.06</b>	<b>1.75</b>	<b>1.71</b>	<b>1.87</b>	<b>1.85</b>	<b>1.87</b>





## PO and PSO Attainment: AEI Department



### Civil Engineering Overall levels of attainment Batch: 2017-21

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
CE201	1.23	0.79	0.91	0.62	-	-	-	-	-	-	-	0.86	0.88	0.6
CE202	1.6	1.6	1.07	0.53	0.53	1.07	1.6	0.53	0.53	0.53	0.56	1.16	1.6	1.6
CE203	1.14	1.14	0.83	0.81	-	0.66	-	-	-	-	-	-	1.07	0.8
CE204	1.32	0.6	0.99	1.01	1.19	0.73	0.82	0.63	-	0.61	0.59	0.61	0.83	1.23
CE205	0.97	0.91	0.94	0.72	0.35	0.66	0.67	0.96	-	0.64	-	0.54	1.1	0.99
CE206	1.46	1.1	1.24	0.87	-	0.75	1.02	1.1	0.82	1.57	1.02	1.1	1.1	1
CE207	1.35	1.1	0.66	0.76	0.91	0.49	0.56	0.51	1.33	1.33	-	0.92	1.01	1.28
CE208	1.38	1.27	0.92	0.59	-	0.7	-	0.6	-	-	-	-	1.01	1.19
CE231	0.81	1.19	0.84	1.26	1.37	1.02	0.99	1.14	1.09	1.37	0.67	0.67	1.2	1.2
CE232	0.39	0.26	0.26	0.21	0.15	0.26	0.29	0.31	0.47	0.47	0.29	0.23	0.16	0.26
CE233	0	0	0	-	-	0	0	0	0	-	-	0	0	0
CE234	0.04	-	-	0.06	-	-	-	-	0.04	-	-	-	0.01	0.02
CE301	1.26	0.63	1.14	0.63	-	0.63	0.63	1.26	0.63	-	-	1.26	1.26	1.14
CE302	1.78	1.78	1.78	1.64	1.68	-	-	-	-	-	-	-	1.78	1.78
CE303	1.63	1.63	1.09	0.66	0.54	0.54	0.34	0.54	0.34	0.34	0.54	1.09	1.63	1.09
CE304	1.12	0.56	1.01	0.56	-	0.56	0.56	1.12	0.56	-	-	1.12	1.12	1.01
CE305	1.13	0.94	0.92	1.01	-	0.92	0.61	1.22	0.61	-	-	1.22	1.22	1.22
CE306	0.93	0.75	0.79	0.6	0.76	-	-	-	-	-	0.6	0.55	0.68	0.53
CE307	1.7	1.39	1.08	1.09	1.06	1.06	0.65	0.72	1.08	1.08	0.65	1.06	0.97	0.97
CE308	0.85	0.75	1.04	0.67	-	0.58	0.53	1.16	-	-	-	0.58	1.07	1.07
CE309	1.79	1.6	1.57	1.22	1.22	1.13	1.13	0.6	-	-	-	-	1.6	0.6
CE331	1.23	1.19	0.92	0.67	0.51	1.52	1.11	1.23	2.03	2.03	1.35	-	1.35	1.18
CE332	1.57	1.57	0.52	1.57	1.57	-	-	0.52	1.57	1.05	-	-	1.05	1.57



# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

CE333	0.82	0.71	0.95	-	-	0.78	0.56	0.78	1.16	-	-	0.92	0.82	0.88
CE334	1.09	1.08	1.39	0.73	2.02	1.08	1.08	1.46	0.73	1.34	0.97	0.91	1.07	1.39
CE341	1.57	1.05	1.57	0.79	1.57	0.52	0.52	-	1.57	1.31	-	-	-	1.05
CE362	1.66	-	-	0.86	1.18	0.94	0.74	0.97	0.55	1.55	-	0.52	1.65	1.65
CE366	1.09	1.27	1.51	0.67	-	0.92	0.64	0.62	-	0.64	-	1.02	0.81	0.96
CE371	1.75	0.55	1.12	-	0.55	1.21	1.59	0.73	0.75	0.76	0.75	-	1.21	1.11
CE374	0.57	1.71	0.65	-	-	1.03	1.49	-	-	-	-	-	0.78	0.9
CE401	0.96	0.96	0.75	0.48	0.48	0.56	0.79	0.56	0.78	0.79	0.79	0.79	1.12	1.12
CE402	1.04	1.29	1.97	-	-	0.66	1.98	0.71	-	-	0.66	1.32	1.32	1.32
CE403	1.42	1.14	0.72	0.5	1.73	0.44	0.44	0.78	0.44	-	-	0.89	1.01	0.79
CE404	0.96	1	1.24	1.15	1.68	2.02	1.35	1.37	-	-	1.02	0.6	1.25	1.25
CE405	1.37	1.26	1.46	1.4	-	1.39	1.48	0.8	-	-	1.09	1.24	1.24	1.24
CE407	1.27	1.09	0.88	0.62	1.28	1	1.02	1.07	0.45	0.94	-	1.07	1.07	0.82
CE409	1.7	1.64	1.34	0.97	0.65	1.46	1.52	1.34	1.64	1.09	1.51	0.82	1.38	1.28
CE431	1.05	-	1.4	1.98	1.42	2.09	1.97	1.51	2.09	1.39	-	1.39	1.39	1.39
CE465	0.88	0.83	0.74	0.89	-	0.74	0.51	1.02	0.51	-	1.02	1.02	1.02	1.02
CE467	1.67	1.35	1.22	0.47	0.31	0.16	0.16	0.56	-	-	-	-	1.61	1.07
CE474	-	0.57	1.23	-	0.96	1.84	1.84	0.61	-	-	-	-	0.61	0.61
HS200	-	0.52	-	0.61	0.48	-	-	-	-	-	0.91	0.91	-	-
HS210	-	-	-	-	-	-	-	-	-	-	-	-	1.19	1.19
HS300	0.43	0.43	1.68	1.81	1.81	1.29	0.86	1.29	2.01	1.86	1.35	1.35	-	-
MA201	1.15	0.88	-	0.33	-	-	-	-	-	-	-	-	-	-
MA202	1.42	1.42	0.88	0.49	-	-	-	-	-	-	-	-	-	-
MT482	1.95	1.95	1.95	-	-	-	-	1.94	-	-	-	1.84	1.95	1.95
<b>Average Direct Attainment</b>	<b>1.19</b>	<b>1.06</b>	<b>1.08</b>	<b>0.83</b>	<b>1.04</b>	<b>0.9</b>	<b>0.92</b>	<b>0.9</b>	<b>0.91</b>	<b>1.08</b>	<b>0.86</b>	<b>0.92</b>	<b>1.1</b>	<b>1.05</b>
<b>Average Indirect Attainment</b>	<b>2.29</b>	<b>2</b>	<b>1.97</b>	<b>1.64</b>	<b>1.9</b>	<b>1.7</b>	<b>1.68</b>	<b>1.66</b>	<b>1.87</b>	<b>1.94</b>	<b>1.6</b>	<b>1.7</b>	<b>2.03</b>	<b>1.96</b>
<b>Total</b>	<b>1.41</b>	<b>1.25</b>	<b>1.25</b>	<b>1</b>	<b>1.21</b>	<b>1.06</b>	<b>1.07</b>	<b>1.05</b>	<b>1.11</b>	<b>1.25</b>	<b>1.01</b>	<b>1.08</b>	<b>1.48</b>	<b>1.44</b>

### Civil Engineering Overall levels of attainment

Batch: 2018-22

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BE101-01	1.38	1.07	1.2	0.8	-	0.53	0.55	0.57	-	1.12	-	1.15	0.86	0.62
BE100	1.52	1.42	1.07	0.65	-	-	-	-	-	-	-	-	-	-
BE102	1.59	1.06	0.53	-	-	-	1.6	-	1.06	-	-	-	0.53	0.53
BE103	1.93	1.32	1.04	1.31	1.54	1.29	1.43	1.18	-	0.94	1.14	-	-	-
BE110	1.82	1.65	-	-	2.18	-	-	-	-	1.82	-	-	1.45	-
CE110	1.31	-	-	-	-	-	-	0.65	1.31	0.65	0.65	1.31	0.65	0.65
CE201	1.21	0.78	0.87	0.6	-	-	-	-	-	-	-	0.94	0.85	0.59







# VIMAL JYOTHI ENGINEERING COLLEGE

**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001 : 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

**NAAC Cycle 2**

**Criterion: 2.6.2**

CE202	1.93	1.93	1.29	0.64	0.64	1.29	1.93	0.64	0.64	0.64	0.58	1.41	1.93	1.93
CE203	1.11	1.11	0.79	0.68	-	0.59	-	-	-	-	-	-	1.06	0.83
CE204	1.35	0.67	1	1.11	1.12	0.85	0.89	0.73	-	0.41	0.65	0.65	0.95	0.77
CE205	0.59	0.32	0.63	0.43	0.64	0.37	0.79	0.98	-	0.37	-	0.55	0.98	0.98
CE206	1.73	1.29	1.47	1.03	-	0.85	1.16	1.29	0.95	1.8	1.32	1.29	1.29	1.16
CE207	1.62	1.3	0.67	0.86	1.06	0.58	0.6	0.59	1.48	1.57	-	1.1	1.18	1.5
CE208	1.36	1.28	0.98	0.6	-	0.72	-	0.58	-	-	-	-	0.99	1.23
CE231	0.89	1.4	0.97	1.05	1.63	1.2	1.13	1.35	1.32	1.63	0.79	0.72	1.42	1.44
CE232	1.38	0.93	0.93	0.73	0.56	0.92	1.02	1.11	1.67	1.67	1.02	0.81	0.56	0.92
CE233	1.54	1.41	1.92	-	-	1.41	1.16	1.52	2.28	-	-	1.34	1.65	1.63
CE234	1.6	-	-	2.39	-	-	-	-	1.6	-	-	-	-	-
CE301	1.2	0.6	1.07	0.6	-	0.6	0.6	1.2	0.6	-	-	1.2	1.2	1.07
CE302	1.43	1.43	1.43	1.26	1.85	-	-	-	-	-	-	-	1.44	1.44
CE303	1.6	1.6	1.07	0.62	0.53	0.53	0.4	0.53	0.4	0.4	0.53	1.07	1.61	1.07
CE304	1.24	0.62	1.11	0.62	-	0.62	0.62	1.24	0.62	-	-	1.24	1.24	1.11
CE305	1	0.87	0.87	0.95	-	0.82	0.56	1.13	0.56	-	-	1.13	1.13	1.13
CE306	1.05	0.85	0.84	0.5	0.8	-	-	-	-	-	0.67	0.57	0.76	0.58
CE307	1.44	1.22	0.95	0.87	0.87	0.91	0.57	0.69	0.95	0.95	0.57	0.87	0.79	0.79
CE308	0.8	0.8	0.9	0.27	-	0.53	0.53	1.06	-	-	-	0.53	0.97	0.97
CE309	1.51	1.34	1.31	1.57	1	0.51	0.51	0.5	-	-	-	-	1.34	0.5
CE331	0	0	0	0	0	0	0	0	0	0	0	-	0	0
CE332	2.3	2.3	0.77	2.3	2.3	-	-	0.77	2.3	1.54	-	-	1.54	2.3
CE333	0	0	0	-	-	0	0	0	0	-	-	0	0	0
CE334	0.79	0.91	0.98	0.52	2.33	0.91	0.91	1.05	0.52	1.55	2.4	0.66	1.05	0.98
CE341	2.4	1.6	2.4	1.2	2.4	0.8	0.8	-	2.4	2	-	-	-	1.6
CE362	1.68	-	-	0.99	1.49	1.04	0.83	0.96	0.53	-	-	-	1.68	1.68
CE369	0.69	-	-	0.8	1.15	1.15	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
CE371	1.6	0.27	1.11	-	0.27	1.15	1.55	0.72	0.8	0.89	0.8	-	1.15	1.02
CE401	0.84	0.84	0.7	0.5	0.5	0.64	0.74	0.5	0.77	0.74	0.74	0.74	1	1
CE402	0.88	1.16	1.7	-	-	0.59	1.78	0.59	-	-	0.59	1.18	1.24	1.18
CE403	1.27	1.02	0.66	0.45	1.55	0.41	0.41	0.7	0.41	-	-	0.83	0.91	0.71
CE404	0.84	0.95	1	0.84	1.39	2.03	1.36	1.31	-	-	0.87	0.57	1.14	1.14
CE405	1.1	1.08	1.25	1.14	-	0.91	1.15	0.52	-	-	0.91	0.92	0.99	0.94
CE407	1.36	1.23	0.88	0.77	0.98	1.13	0.53	1.12	0.49	0.78	-	1.12	1.12	1
CE409	1.53	1.57	1.22	0.91	0.63	1.37	1.03	1.22	1.58	1.07	1.35	0.86	1.22	1.08
CE431	1.07	-	1.43	2.05	1.37	2.18	2.07	1.59	2.18	1.46	-	1.46	1.46	1.46
CE451	0	0	0	0	-	0	0	-	0	0	-	-	0	0
CE465	0.48	0.48	0.86	0.78	-	1.44	1.44	0.96	-	-	-	0.96	0.96	0.96
CE474	-	1.41	1.21	-	1.23	1.82	1.82	0.61	-	-	-	-	0.61	0.61
CE492	0	0	0	0	-	0	0	-	0	0	-	-	0	0
CY100	1.02	1.11	1.06	-	-	-	-	-	-	-	-	-	-	-







# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

CY110	0.42	0.46	0.63	-	-	-	-	-	-	-	-	-	-	-
EC100	1.28	0.8	1.54	1.54	0.77	1.23	2.3	1.54	1.65	1.73	-	2.07	-	0.77
EC110	0.81	0.5	0.64	-	0	-	-	-	0.6	0	-	-	0.64	-
EE100	1.28	1.13	0.49	0.84	-	1.46	2.19	-	-	-	-	0.7	1.21	-
EE110	1.94	1.08	1.3	-	0.65	-	-	-	1.94	-	0.65	0.65	1.3	0.65
HS200	1.45	1.44	1.1	-	-	-	-	-	-	0.5	-	-	-	-
HS210	1.6	1.6	-	-	-	0.53	-	1.6	1.6	2.34	1.06	-	1.05	1.13
HS300	0.51	0.51	2.34	1.6	1.6	1.54	1.03	1.54	1.6	0.8	0.53	0.53	-	-
MA101	0.92	0.72	-	-	-	-	-	-	-	-	-	-	-	-
MA102	1.54	1.38	0.89	0.52	-	-	-	-	-	-	-	-	-	-
MA202	2.1	2.1	1.58	0.74	-	-	-	-	-	-	-	-	-	-
ME100	2.01	1.55	0.77	-	-	0.78	0.78	-	-	-	-	-	-	-
ME110	2.24	1.6	0.8	-	-	0.66	0.66	-	-	-	-	-	-	-
MT482	1.9	1.9	1.9	-	-	-	-	1.98	-	-	-	1.82	1.9	1.9
PH100	1.14	1.25	1.33	-	1.79	-	-	-	-	-	-	-	-	-
PH110	1.63	1.75	1.58	-	2.1	-	-	-	-	-	-	-	-	-
<b>Average Direct Attainment</b>	<b>1.27</b>	<b>1.08</b>	<b>1.04</b>	<b>0.88</b>	<b>1.18</b>	<b>0.88</b>	<b>0.95</b>	<b>0.94</b>	<b>1.04</b>	<b>1</b>	<b>0.84</b>	<b>0.96</b>	<b>1.03</b>	<b>0.98</b>
<b>Average Indirect Attainment</b>	<b>2.34</b>	<b>2.06</b>	<b>1.91</b>	<b>1.63</b>	<b>1.98</b>	<b>1.7</b>	<b>1.75</b>	<b>1.69</b>	<b>2.04</b>	<b>1.95</b>	<b>1.52</b>	<b>1.72</b>	<b>2.01</b>	<b>1.91</b>
<b>Total</b>	<b>1.48</b>	<b>1.28</b>	<b>1.21</b>	<b>1.03</b>	<b>1.34</b>	<b>1.05</b>	<b>1.11</b>	<b>1.09</b>	<b>1.24</b>	<b>1.19</b>	<b>0.97</b>	<b>1.11</b>	<b>1.43</b>	<b>1.39</b>

### Civil Engineering Overall levels of attainment

Batch: 2019-23

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AET425	1.74	1.49	-	-	1.74	1.74	-	-	-	-	-	1.16	-	-
CEL201	1.69	-	-	-	-	-	-	1.28	1.69	1.69	-	-	2.23	2.15
CET201	1.1	0.79	0.15	-	-	-	-	-	-	-	-	-	0.94	0.67
CEL202	0	0	0	0	0	0	-	-	0	0	-	0	0	0
CET202	2.2	1.19	2.39	-	-	1.57	1.93	1.59	-	-	-	1.59	0.77	0.79
CEL203	2.17	-	-	0.71	2.4	-	-	0.72	1.41	-	-	1.6	0.72	2.17
CET203	1.13	1.13	1.55	-	-	0.42	-	-	-	-	-	-	1.13	0.81
CEL204	1.54	1.79	-	1.54	-	-	-	1.54	2.11	2.31	-	-	1.54	1.54
CET204	1.58	2.05	-	-	-	-	-	-	-	-	-	-	1.05	1.02
CET205	1.58	1.31	0.79	0.69	0.7	-	-	0.67	1.52	-	-	0.97	1.05	1.29
CET206	1.66	1.14	1.54	0.71	-	0.62	1.38	0.61	0.72	1.17	-	1.08	1.21	1.65
CET296	0.87	1.32	1.08	-	1.08	-	-	-	-	-	-	-	0.77	0.77
CET301	1.54	1.28	-	-	-	-	-	-	-	-	-	-	1.75	1.75
CET302	1.63	1.51	0.63	-	-	-	-	-	-	-	-	-	1.6	0.94
CET303	0.76	1.35	0.69	-	-	-	-	0.63	-	-	-	-	-	-





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

CET304	1.98	-	1.98	-	-	1	1	-	-	-	-	-	1.25	1.25
CET 305	0.81	0.45	0.07	1.42	-	-	-	-	-	-	-	-	0.72	0.72
CET306	1.46	1.18	1.72	-	-	0.46	0.48	-	-	1.88	-	-	1.43	0.85
CET307	1.31	1.2	-	0.64	-	-	0.44	-	-	-	-	-	0.87	0.64
CET308	0.48	0.24	0.16	-	0.16	0.32	-	-	-	0.48	-	-	0.16	0.16
CET309	1.24	0.94	1.17	-	0.39	0.51	0.46	0.49	0.78	0.41	1.11	0.41	0.94	1.1
CEL331	0.04	0.03	0.03	0.03	0.01	0.04	-	-	0.03	0.03	-	0.03	0	0.03
CEL332	1.73	-	-	1.15	-	-	-	0.58	1.15	-	-	0.99	1.15	1.73
CEL333	1.22	0.57	-	-	0.68	-	-	-	0.82	0.82	-	-	0.82	1.22
CEL334	0.82	0.55	0.55	0.55	0.27	0.82	-	-	0.55	0.55	-	0.55	0.27	0.55
CET352	1.88	1.63	1.63	1.09	1.39	1.26	1.88	-	-	-	-	-	1.09	1.09
CET397	0	0	-	-	-	-	0	-	-	-	-	-	0	0
CET401	1.57	2.12	1.75	-	-	-	-	-	-	-	-	-	1.44	1.47
CET402	1.58	1.38	-	-	-	-	-	-	-	-	-	-	1.25	0.95
CEL411	2.25	2.25	2.25	0.75	-	2.25	2.25	-	-	-	-	2.25	1.5	1.88
CED415	1.57	1.84	1.84	0.79	1.42	1.97	1.97	1.38	1.42	1.57	1.26	1.05	2.36	2.36
CED416	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CET423	1.72	1.4	-	-	-	-	-	-	-	-	-	-	1.72	2.05
CET424	1.66	1.55	0.91	-	-	-	-	-	-	-	-	-	2.02	2.02
CET438	1.85	1.47	1.85	0.67	-	1.11	1.27	0.82	0.65	1.1	-	0.97	1.59	0.6
CE451	2.18	1.94	1.55	1.81	1.81	1.55	0.78	1.04	-	2.07	-	2.33	1.18	1.55
CET456	1.52	1.09	1.26	0.8	1.53	1.25	0.69	-	-	-	-	-	1.02	0.96
CST281	0.64	0.4	0.4	0.4	0.39	-	-	-	-	1.02	-	0.64	0.64	-
CST282	1	1.3	1.14	1.31	-	-	-	-	-	1.04	-	1	1.5	1
CST381	1.16	0.97	0.79	0.93	0.82	0.59	-	0.26	1.23	1.01	0.69	1.16	-	-
CST445	0.85	1.11	0.76	-	-	-	-	-	-	-	-	1.19	0.92	0.92
CYT100	0.89	0.9	0.73	0.71	1.32	-	2.4	-	-	-	-	-	-	-
CYL120	2.22	-	-	-	1.62	-	-	-	-	-	-	2.22	-	-
EET283	0.51	0.51	-	-	-	-	-	-	-	-	-	0.34	-	-
EET284	1.9	1.9	-	-	-	-	-	-	-	-	-	1.27	1.37	1.26
EET383	0	0	0	-	-	-	-	-	-	-	-	0	-	-
EST100	1.83	1.83	-	-	-	-	-	-	-	-	-	-	-	-
EST102	2.29	1.65	1.4	1.4	2.3	-	-	-	-	0.89	1.4	0.76	0.73	1.4
EST110	1.35	0.5	-	-	0.84	-	-	-	-	0.66	-	-	1	0.76
ESL120	1.14	-	-	-	0.8	0.8	-	1.6	1.6	1.6	0.8	0.8	-	-
EST120	1.84	1.02	-	0.72	1.86	1.38	1.33	1.67	1.17	-	-	-	-	-
ESL130	1.7	-	-	0.65	1.3	1.31	-	0.65	1.63	1.09	-	1.09	1.35	1.54
EST130	1.76	0.68	-	-	-	-	-	-	-	-	-	1.32	1.36	0.74
EST200	1.52	1.12	1.49	-	-	0.74	0.75	0.74	1.49	1.12	-	1.11	1.53	1.27
HUN101	1.45	1.62	1.37	1.07	1.54	1.02	-	0.66	1.26	1.8	0.66	1.31	1.43	-
HUN102	0.8	0.8	-	-	-	0.54	-	-	0.9	1.42	-	0.97	0.99	0.99





# VIMAL JYOTHI ENGINEERING COLLEGE


JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

HUT300	1.28	1.26	0.62	-	1.34	1.04	2.01	-	-	-	1.92	-	0.64	0.64
MAT101	1.37	1.28	1.37	1.28	0.82	0.46	-	-	0.46	0.91	-	0.91	-	-
MAT102	2.14	2.16	2.16	2.16	1.44	0.72	-	-	0.72	1.44	-	1.44	-	-
MAT201	1.35	1.35	1.35	1.35	0.9	0.45	-	-	-	0.9	-	0.9	-	-
MAT202	1.98	1.32	1.32	1.32	1.32	-	-	-	-	1.32	-	0.66	-	-
MCN201	-	-	-	-	-	0.82	1.23	-	-	-	-	0.82	-	-
MCN202	-	-	-	-	-	1.66	1.34	1.66	-	1.63	-	-	-	-
MCN301	1.48	1.98	1.54	1.28	1.39	1.23	1.75	0.42	-	1.88	-	1.23	-	-
MCN401	1.44	1.28	1.41	0.67	0.7	0.88	0.88	0.88	0.67	0.67	-	0.72	-	-
MET285	1.49	1.45	-	0	0	-	-	-	-	-	-	0	-	0
MET286	1.92	1.85	1.91	1.89	-	-	-	-	-	-	-	1.24	-	1.51
MET385	1.19	1.03	0.51	0.8	1.28	-	0	-	0.81	0.51	0.4	0.51	-	-
MET445	2.12	2.09	-	-	0.7	0.7	0.7	-	-	-	0.7	2.12	1.36	-
PHT110	2.14	1.4	-	-	-	-	-	0.71	1.43	-	-	0.71	-	-
PHL120	0.89	-	-	-	0.59	-	-	0.29	0.59	-	-	0.29	-	-
<b>Average Direct Attainment</b>	<b>1.39</b>	<b>1.2</b>	<b>1.11</b>	<b>0.92</b>	<b>1.02</b>	<b>0.92</b>	<b>1.12</b>	<b>0.87</b>	<b>0.99</b>	<b>1.09</b>	<b>0.9</b>	<b>0.97</b>	<b>1.09</b>	<b>1.08</b>
<b>Average Indirect Attainment</b>	<b>2.65</b>	<b>2.34</b>	<b>2.23</b>	<b>1.82</b>	<b>1.97</b>	<b>1.84</b>	<b>1.95</b>	<b>1.55</b>	<b>1.89</b>	<b>2.13</b>	<b>1.7</b>	<b>1.91</b>	<b>2.04</b>	<b>2.06</b>
<b>Total</b>	<b>1.64</b>	<b>1.42</b>	<b>1.33</b>	<b>1.1</b>	<b>1.21</b>	<b>1.1</b>	<b>1.29</b>	<b>1.01</b>	<b>1.17</b>	<b>1.3</b>	<b>1.06</b>	<b>1.15</b>	<b>1.47</b>	<b>1.46</b>





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

## Computer Science and Engineering

### Overall levels of attainment

Batch: 2017-21

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
CE482	-	-	-	-	-	1.94	2.92	0.97	-	-	-	-	-	-
CS201	2.45	1.55	0.75	0.81	-	-	-	-	-	-	-	-	-	-
CS202	1.5	0.92	1.8	1.34	0	0	0	0	0	0.88	1.21	0.93	1.22	1.86
CS203	2.32	0.87	2.49	-	-	-	-	-	-	-	-	1.26	1.8	1.8
CS204	2.03	1.62	1.47	0.89	0.96	-	-	-	-	-	-	1.62	1.19	2.33
CS205	1.6	1.45	1.66	0.87	0.72	0.75	-	0.83	-	0.71	0.72	0.83	1.87	1.3
CS206	1.06	0.84	1.32	0.77	0.94	-	-	-	0	-	-	0.72	1.09	1.09
CS207	2.45	1.79	-	-	-	-	-	-	-	-	-	2.45	0.74	-
CS208	1.44	1.53	1.52	1.16	1.27	-	-	-	-	1.59	-	1.43	1.45	1.35
CS231	1.65	1.32	1.81	1.15	0.98	0.98	0.99	0.98	-	0.98	0.98	0.99	2.31	1.65
CS232	1.49	1.24	1.48	-	1.97	-	-	-	-	-	-	-	-	-
CS233	-	2	1	2	2.02	-	-	-	-	-	-	1	2	-
CS234	1	1.5	2	1	-	-	-	-	-	-	-	1	1	1
CS301	0.83	0.62	0.62	0.52	0.54	-	-	-	-	-	-	-	0.62	0.83
CS302	2.6	1.43	1.31	1.65	1.31	2	1.5	-	-	-	-	1.21	1.71	2.56
CS303	1.22	0.57	-	-	0.5	-	-	-	-	-	-	0.68	1.02	0.46
CS304	1.65	2.4	1.93	1.06	1.5	-	-	-	-	-	-	-	1.18	1.6
CS305	1.88	1.88	1.88	1.88	-	-	-	-	-	-	-	-	0.35	1.91
CS306	1.49	1.06	0.83	0.92	0.8	-	-	-	-	-	-	0.83	0.83	1.33
CS307	1.69	1.38	2.03	1.82	-	0.69	-	1.38	0.69	0.69	-	1.85	2.4	2.09
CS308	2.1	2.12	2.11	1.77	1.44	1.77	1.78	2.23	1.77	1.63	1.93	1.63	1.79	1.79
CS309	2.62	2.26	0.86	0.68	-	-	-	-	-	-	-	1.36	-	1.59
CS331	1.82	1	2.99	1.99	1	-	-	1	2.99	2.5	2.5	2.5	1.99	2.99
CS332	3	2	2	-	-	-	-	-	2.33	-	-	-	2	-
CS333	1.8	0.98	2.07	-	0.98	2.92	0.97	2.95	2.93	2.91	2.92	2.93	1.95	1.44
CS334	2.99	0.99	0.99	-	0.99	-	-	1	1.99	-	-	1	1	1
CS341	2.98	2.98	2.98	-	1.99	0.99	-	-	2.48	2.48	-	1.99	2.98	-
CS352	2.97	2.97	1.98	2.97	1.98	1.98	1.98	1.98	1.98	2.97	1.98	1.98	1.98	1.98
CS361	2.32	1.55	2.32	-	2.32	1.55	0.78	1.31	-	-	0.65	1.31	0.77	2.32
CS368	0.85	0.85	1.73	-	2.55	-	-	-	1.7	1.7	0.85	2.55	2.54	1.26
CS401	1.57	2	1.6	0.83	1.18	1.68	0.36	0.68	1.35	1.33	1.6	1.43	1.53	1.68
CS402	1.73	1.58	1.31	1.7	1.5	0.97	-	-	1.99	0.99	1.97	0.99	0.98	0.98
CS403	1.09	1.5	1.13	1.3	1.13	-	-	-	-	0.81	0.84	0.8	1.54	1.37
CS404	2.44	2.44	2.27	1.78	2.1	1.78	1.78	-	-	2.1	-	2.44	1.78	2.33
CS405	1.49	1.37	1.87	1.32	1.32	0.99	-	-	-	-	0.99	1.98	0.99	0.99
CS407	1.88	1	1.18	1	2.81	0.89	1	1.99	2.91	-	0.99	2.81	2.37	1.91
CS409	2.6	2.6	1.71	-	2	2	-	2	1.93	-	-	2	0.93	1.67





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001 : 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

CS431	0.98	1.96	2.94	0.98	2.94	-	-	1.96	2.94	2.94	1.96	1.96	1.96	2.94
CS451	3	3	2	2.5	1.5	2	2	2	3	3	2	3	3	2.5
CS467	2.38	2.38	2.38	2.38	2.38	2.1	1.97	2.13	1.59	1.82	0.79	2.38	2.23	2.23
CS472	1.72	1.52	2.2	1.5	2.41	2.4	0.95	2.26	2.18	0.93	1.89	2.84	2.22	2.68
CS492	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08	0.9	1.08	1.08	1.08	1.08	1.08
HS200	0	0	0	0	-	0	-	0	-	-	-	-	-	0
HS300	-	-	-	-	-	-	-	1.37	1.73	1.54	1.75	0.74	-	0.97
MA102	0.48	0.32	-	-	0.32	-	-	-	-	-	-	-	-	-
MA201	2.32	1.07	-	-	-	-	-	-	-	-	-	-	-	-
MA202	2.23	2.23	1.47	0.75	-	-	-	-	-	-	-	-	-	-
<b>Average Direct Attainment</b>	<b>1.84</b>	<b>1.55</b>	<b>1.69</b>	<b>1.32</b>	<b>1.45</b>	<b>1.43</b>	<b>1.34</b>	<b>1.43</b>	<b>1.88</b>	<b>1.69</b>	<b>1.48</b>	<b>1.62</b>	<b>1.59</b>	<b>1.64</b>
<b>Average Indirect Attainment</b>	<b>2.53</b>	<b>2.73</b>	<b>2.12</b>	<b>2.12</b>	<b>2.12</b>	<b>2.12</b>	<b>2.73</b>	<b>3</b>	<b>3</b>	<b>2.73</b>	<b>2.94</b>	<b>2.94</b>	<b>2.53</b>	<b>2.53</b>
<b>Total</b>	<b>1.97</b>	<b>1.79</b>	<b>1.77</b>	<b>1.48</b>	<b>1.59</b>	<b>1.57</b>	<b>1.62</b>	<b>1.75</b>	<b>2.1</b>	<b>1.9</b>	<b>1.77</b>	<b>1.89</b>	<b>1.78</b>	<b>1.82</b>

## Computer Science and Engineering Overall levels of attainment

Batch: 2018-22

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BE101-05	2.32	0.77	2.32	0.77	1.54	-	-	-	1.54	-	-	-	1.54	0.77
BE100	1.86	1.77	1.37	0.86	-	-	-	-	-	-	-	-	-	-
BE102	-	-	1.99	-	-	0.99	0.99	-	1	-	1.39	0.99	0.99	-
BE103	-	-	0.95	1.86	2.12	-	1.42	1.81	-	-	1.79	-	-	-
BE110	2.37	2.32	-	-	2	-	-	-	-	2.37	-	-	-	-
CS100	1.01	1.37	1.67	-	-	-	-	-	1.32	-	1.32	-	1.32	1.44
CS201	0.62	1.68	1.51	0.7	-	-	-	-	-	-	-	-	-	-
CS202	1.2	0.83	1.55	1.14	-	-	-	-	-	0.61	0.92	0.67	1.52	1.29
CS203	2.07	0.94	2.29	-	-	-	-	-	-	-	-	1.12	1.5	1.5
CS204	1.9	1.46	1.38	0.78	0.97	-	-	-	-	-	-	1.52	1.13	2.01
CS205	1.19	1.03	1.25	-	-	-	-	-	-	-	-	0.62	1.36	0.96
CS206	1.18	0.91	1.43	0.86	1.06	-	-	-	-	-	-	0.77	1.15	1.15
CS207	1.71	1.21	-	-	-	1.04	-	-	-	-	-	1.71	-	0.81
CS208	1.83	1.52	1.92	1.76	1.52	1.92	1.92	1.92	1.92	1.52	1.92	2.19	1.87	1.87
CS301	1.52	1.1	1.1	0.97	1.13	-	-	-	-	-	-	-	1.1	1.52
CS302	1.9	1.23	0.98	1.23	-	-	-	-	-	-	-	1.33	1.33	2
CS303	2.16	0.82	-	-	0.67	-	-	-	-	-	-	0.8	1.89	0.87
CS304	1.46	2.09	1.62	0.85	1.21	-	-	-	-	-	-	-	0.94	1.4
CS305	1.57	1.57	1.57	1.57	-	-	-	-	-	-	-	-	-	1.64
CS306	1.53	1	0.83	0.67	1	-	-	-	-	-	-	0.87	0.87	1.33
CS307	1.92	1.94	2.4	2.15	-	0.97	-	1.93	0.97	0.97	-	2.12	2.4	2.15





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

CS308	1.16	2.15	2.5	0.78	1.17	0.67	1	0.67	0.66	0.82	0.83	0.67	1.55	1.24
CS309	2.26	1.64	0.49	0.5	-	-	-	-	-	-	-	1	-	1.1
CS361	1.94	1.3	1.94	-	1.94	1.3	0.1	1.31	-	-	0.66	1.31	0.65	2.18
CS368	0.69	0.69	1.29	-	2.06	-	-	-	1.38	1.38	0.69	2.06	1.26	1.26
CS401	1.82	1.56	1.58	0.83	1.26	1.72	0.67	0.78	1.57	1.2	1.74	2.26	1.57	1.7
CS402	1.46	1.54	1.26	1.59	1.28	0.94	-	-	1.33	0.95	1.89	0.91	0.91	0.91
CS403	0.92	1.3	0.96	1.13	0.97	-	-	-	-	0.67	0.74	2.08	1.35	1.18
CS404	2.21	2.21	2.1	1.7	1.95	1.66	1.66	-	-	1.98	-	2.23	1.65	2.24
CS405	1.15	1.07	1.46	1.05	1.05	0.77	-	-	-	-	0.76	1.51	1.51	1.51
CS407	1.78	1.38	1.48	-	-	0.74	-	-	-	-	-	1.95	1.58	1.58
CS409	2.11	2.11	1.32	0.82	1.5	-	-	1.43	1.5	-	-	1.5	-	1.5
CS465	-	2.02	0.67	1.44	1.63	-	-	-	1.43	-	-	-	1.56	1.21
CS472	1.55	1.26	2	1.37	1.97	2.04	0.79	1.89	1.82	0.71	1.57	2.36	1.88	2.2
CY100	1.56	1.71	1.51	-	-	-	-	-	-	-	-	-	-	-
EC100	1.4	-	1.95	1.95	0.98	1.69	-	1.95	1.54	-	-	-	-	0.98
HS200	2.95	1.97	2.95	1.49	-	1.33	-	2.14	-	-	-	-	-	0.76
HS300	-	-	-	-	-	-	-	1.99	2.08	1.5	2.05	0.67	-	0.86
MA101	1.45	1.13	-	-	-	-	-	-	-	-	-	-	-	-
MA102	2.33	2.32	1.57	0.8	0.67	-	-	-	-	-	-	-	-	-
MA201	2.07	0.84	-	-	-	-	-	-	-	-	-	-	-	-
MA202	2.82	2.82	2	0.87	-	-	-	-	-	-	-	-	-	-
ME100	2.79	1.84	0.92	-	-	0.98	0.98	-	-	-	-	-	-	-
PH100	1.64	1.95	1.86	-	2.35	-	-	-	-	-	-	-	-	-
<b>Average Direct Attainment</b>	<b>1.73</b>	<b>1.51</b>	<b>1.58</b>	<b>1.16</b>	<b>1.42</b>	<b>1.25</b>	<b>1.06</b>	<b>1.62</b>	<b>1.43</b>	<b>1.22</b>	<b>1.3</b>	<b>1.41</b>	<b>1.4</b>	<b>1.41</b>
<b>Average Indirect Attainment</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2.79</b>	<b>2.79</b>	<b>2.79</b>	<b>3</b>	<b>3</b>	<b>2.79</b>	<b>2.79</b>	<b>2.43</b>	<b>2.79</b>	<b>2.43</b>	<b>3</b>
<b>Total</b>	<b>1.99</b>	<b>1.81</b>	<b>1.86</b>	<b>1.49</b>	<b>1.69</b>	<b>1.56</b>	<b>1.45</b>	<b>1.9</b>	<b>1.7</b>	<b>1.54</b>	<b>1.53</b>	<b>1.68</b>	<b>1.61</b>	<b>1.73</b>

## Computer Science and Engineering

### Overall levels of attainment

Batch: 2019-23

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AET425	2.31	2.02	-	-	2.31	2.31	-	-	-	-	-	1.54	-	-
CET415	1.93	-	-	2.26	1.46	1.96	2.2	2.42	-	2.42	-	-	-	-
CSL201	2.22	1.48	2.22	1.42	-	0.85	1.48	1.48	1.46	1.48	-	1.48	1.48	1.48
CST201	1.49	1.04	1.04	0.54	-	0.5	-	-	0.89	-	-	1.49	0.5	1.49
CSL202	1.23	1.67	2.12	1.9	2.45	-	-	1.9	0.89	-	-	1	1.34	1.56
CST202	2.13	1.97	1.9	1.7	-	1.85	-	0.93	-	0.89	-	1.89	1.35	1.66
CSL203	2.47	1.64	1.64	1.64	1.64	-	-	2.47	2.47	0.82	2.47	2.47	2.47	2.47
CST203	1.6	1.6	2.24	2.87	2.86	1.92	-	-	1.98	-	-	0.83	2.86	2.05





# VIMAL JYOTHI ENGINEERING COLLEGE

**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

**NAAC Cycle 2**

**Criterion: 2.6.2**

CSL204	0.87	0.69	0.69	0.67	-	-	-	0.75	1.06	0.45	-	0.75	0.87	0.87
CST204	2.61	2.61	2.61	2.67	2.71	-	-	-	2.67	2.48	2.67	2.61	2.62	2.62
CST205	1.79	1.15	1.15	1.15	0.67	-	-	-	1.79	1.73	-	1.79	1.79	1.79
CST206	1.66	1.66	1.5	1.6	-	-	-	-	-	1.66	-	1.82	0.91	0.91
CST294	2.2	2.2	2.2	2.21	2.21	2.21	-	-	-	2.21	-	2.2	2.2	2.2
CST301	1.58	1.15	1.15	1.16	1.43	-	-	-	-	-	-	1.15	1.15	1.58
CST302	2.46	1.64	1.64	1.64	1.79	-	-	-	-	-	-	1.64	1.64	1.64
CST303	1.31	1.49	1.45	1.48	-	0.94	-	-	-	-	-	1.29	0.88	1.42
CST304	1.8	2.43	2.13	1.54	-	2.6	-	-	-	-	-	1.76	1.49	2.07
CST305	2.26	2.26	2.78	2.61	1.74	-	-	-	-	-	-	2.26	2.41	1.44
CST306	2.57	2.57	2.6	2.78	0.96	0.91	-	1	-	-	-	2.7	1.8	2.7
CST307	1.87	2.22	2.22	2.34	-	-	-	-	-	-	-	2.22	2.58	1.18
CST308	1.08	1.08	-	-	-	-	-	-	-	-	-	1.08	0.78	0.72
CST309	1.89	1.63	1.19	1.41	1.26	0.83	-	0.55	1.69	1.84	1.17	1.89	1.67	1.67
CSL331	1.92	2.87	2.87	2.87	-	-	-	0.96	-	0.96	-	0.96	2.88	0.96
CSL332	1.09	1.09	1.09	1.14	1.08	0.72	-	1.18	-	0.79	-	1.18	1.09	1.09
CSL333	2.7	2.7	2.7	2.5	2.7	1.74	-	2.7	1.74	2.7	1.74	2.7	2.7	2.7
CSD334	3	3	3	3	3	3	3	3	3	3	3	3	2.4	2.4
CST362	2.67	1.78	1.78	1.74	2.6	1.53	-	-	-	-	-	2.67	2.36	2.36
CST395	2.3	2.3	2.3	2.3	2.52	1.68	-	-	-	-	-	2.3	2.3	2.3
CST401	1.99	2.06	2.42	2.42	1.68	-	-	-	-	-	-	2.06	0.83	1.99
CST402	2.06	2.06	2.06	1.97	-	-	-	-	-	-	-	1.9	2.54	2.39
CSL411	1.93	1.93	1.93	1.93	1.91	-	-	1.93	-	1.93	1.87	1.95	1.93	1.93
CSQ413	2.8	2.5	2	2.33	2.33	2	1	1.33	-	2.67	-	3	2.4	1
CSD415	2	2.33	2.33	1	1.8	2.5	2.5	1.75	1.8	2	1.6	1.33	2.67	2.67
CSD416	0.72	0.84	0.84	0.36	0.65	0.9	0.9	0.63	0.65	0.72	0.58	0.48	1.08	1.08
CST426	1.73	1.86	1.82	-	2.42	-	-	-	-	-	-	2.1	2.21	1.91
CST428	2.09	2.09	2.74	1.83	1.83	-	-	-	-	-	-	2.91	2.09	2.09
CST434	2.82	1.71	2.08	-	-	1	-	-	-	-	-	0.94	1.88	1.88
CST458	2.54	2.15	2.54	2.26	2.93	-	-	-	-	1.95	-	2.34	2.15	2.15
CST463	2.01	2.5	2.75	1.79	1.46	-	-	-	-	-	-	1.82	2.37	1.82
CYT100	0.83	1.05	0.91	0.84	1.67	-	2.54	-	-	-	-	-	-	-
CYL120	0.99	-	-	-	0.71	-	-	-	-	-	-	0.99	-	-
ECT281	1.66	1.66	-	-	-	-	-	-	-	-	-	1.11	-	-
ECT282	2.32	1.57	2.36	-	2.19	-	-	-	-	-	-	1.54	1.09	-
ECT381	0.6	0.6	0.53	-	0.47	-	-	0.4	0.6	-	-	0.4	-	-
EST100	2.02	2.02	-	-	-	-	-	-	-	-	-	-	0.69	0.67
EST102	2.32	1.67	1.42	1.42	2.34	-	-	-	-	0.9	1.42	0.77	1.42	1.42
EST110	2.78	1.79	-	-	2.64	-	-	-	-	2.28	-	-	2.15	1.8
ESL120	1.38	-	-	-	1	1	-	2	2	2	1	1	-	-
EST120	2.55	1.39	-	0.77	2.41	2.11	2.05	2.04	1.63	-	-	-	2.85	2.85







# VIMAL JYOTHI ENGINEERING COLLEGE


**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001 : 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

**NAAC Cycle 2**

**Criterion: 2.6.2**

ESL130	1.01	-	-	0.39	0.78	0.78	-	0.39	0.97	0.66	-	0.65	-	-
EST130	2.22	0.9	-	-	-	-	-	-	-	-	-	1.79	1.79	1.79
EST200	1.76	1.3	1.27	-	-	0.75	0.76	0.86	1.27	1.07	-	1.18	1.17	1.5
HUN101	-	2.99	1.99	1	-	1.29	-	0.95	2.2	2.61	0.95	1.94	-	-
HUN102	0.99	1	-	-	-	0.87	-	-	1.24	2.46	-	1.77	2.15	1.99
HUT200	-	-	-	-	-	-	-	2.11	-	-	1.66	-	-	-
HUT300	1.87	1.86	0.91	-	1.95	1.48	2.93	-	-	-	2.8	-	-	-
MAT102	2.87	2.87	2.87	2.87	1.91	0.96	-	-	0.96	1.91	-	1.91	-	-
MAT203	2.66	2.66	2.66	2.31	1.78	1.78	-	-	-	1.77	-	1.77	-	-
MAT206	1.6	1.45	1.74	1.73	-	0.89	-	-	-	0.87	-	1.02	1.45	1.74
MCN201	-	-	-	-	-	1.54	2.32	-	-	-	-	1.54	-	-
MCN202	-	-	-	-	-	2.47	1.98	2.47	-	2.41	-	-	-	-
MCN301	2.21	2.79	2.33	2	1.99	1.78	2.17	0.9	-	2.66	-	1.78	-	-
MCN401	1.97	1.77	1.97	1	0.98	1.19	1.19	1.19	0.98	0.98	-	0.99	-	-
MET445	2.69	2.65	-	-	0.88	0.88	0.88	-	-	-	0.88	2.69	1.59	-
PHT100	2.95	1.57	-	-	-	-	-	0.98	1.96	-	-	0.98	1	1
PHL120	0.67	-	-	-	0.45	-	-	0.22	0.45	-	-	0.22	0.22	0.22
<b>Average Direct Attainment</b>	<b>1.95</b>	<b>1.85</b>	<b>1.93</b>	<b>1.76</b>	<b>1.78</b>	<b>1.48</b>	<b>1.86</b>	<b>1.41</b>	<b>1.51</b>	<b>1.73</b>	<b>1.7</b>	<b>1.65</b>	<b>1.76</b>	<b>1.73</b>
<b>Average Indirect Attainment</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2.8</b>	<b>3</b>	<b>3</b>	<b>2.8</b>	<b>2.8</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>
<b>Total</b>	<b>2.16</b>	<b>2.08</b>	<b>2.15</b>	<b>2.01</b>	<b>1.98</b>	<b>1.78</b>	<b>2.09</b>	<b>1.69</b>	<b>1.77</b>	<b>1.98</b>	<b>1.96</b>	<b>1.92</b>	<b>2.01</b>	<b>1.98</b>





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

## Electronics Communication and Engineering

### Overall levels of attainment

Batch: 2017-21

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BE102	0.32	-	-	-	-	-	-	-	-	-	-	-	-	-
CE100	-	-	-	-	-	-	-	-	-	-	-	-	0.32	0.32
CE488	0.85	-	-	-	1.57	2.18	1.22	-	2.41	1.7	-	1.78	0.94	0.68
EC201	1.42	1.23	1.08	0.85	-	-	-	-	-	-	-	0.8	-	1.23
EC203	1.61	1.1	1.43	0.61	-	-	-	-	-	-	-	0.77	0.77	1.08
EC204	1.72	1.51	1.63	0.63	-	-	0.63	-	1.09	-	1.47	0.63	1.05	1.09
EC205	1.8	1.8	1.8	1.5	0.6	0.9	-	-	0.9	0.6	0.6	1.2	1.4	1.48
EC206	1.67	0.97	1.26	0.88	-	-	-	-	-	-	-	-	0.69	-
EC207	1.35	1.47	1.13	1.13	1.46	-	-	-	-	-	-	0.57	0.86	0.97
EC208	2.01	1.19	-	-	-	-	-	-	-	-	-	2.45	0.81	-
EC231	2.61	2.61	2.61	2.61	-	-	-	-	-	-	-	-	1.74	2.61
EC232	2.88	2.88	0.96	-	-	-	-	-	2.88	-	-	2.88	0.96	-
EC233	1.86	1.86	2.62	1.58	1.86	-	1	-	2.25	0.75	-	1.5	1.95	2.25
EC302	0.73	-	1.75	1.49	1.87	-	-	-	-	-	-	-	0.73	-
EC303	2.53	2.53	-	2.27	1.92	0.77	-	-	0.99	0.99	-	2.53	1.88	-
EC304	2.69	2.59	2.53	2.99	2.69	1.28	-	0.94	2.23	-	-	2.09	2.07	1.94
EC305	0.65	0.62	0.67	0.99	0.62	-	-	-	-	-	-	-	0.65	-
EC306	1.4	1.4	2.12	-	-	-	-	-	-	-	-	1.4	0.71	0.74
EC307	2.35	1.98	1.62	-	-	-	-	-	-	-	-	2.35	-	-
EC308	1.74	0.86	0.84	0.82	1.74	0.82	1.61	1.61	-	-	1.61	2.61	0.87	1.13
EC312	2.69	2.52	2.14	2.52	2.69	-	-	-	-	-	-	2.34	-	2.14
EC332	3	2	2	1	-	-	2	-	2	-	-	1	-	3
EC333	2.25	2.25	-	-	2	-	-	-	2.25	-	2.25	2.25	2.25	2
EC334	2	1	1	-	2.33	-	-	-	3	-	-	1	2.33	2.33
EC341	3	3	-	-	2	1	-	-	1.5	2.5	-	1.5	2	-
EC352	2.91	1.94	-	-	-	-	-	-	-	-	0.97	1.94	-	1.94
EC365	1.78	1.78	1.78	-	0.88	2.67	0.89	1.75	-	-	-	2.67	0.88	0.87
EC368	1.13	0.81	0.81	0.79	0.79	-	-	-	-	-	-	0.87	0.84	0.87
EC370	1.14	1.68	1.61	1.28	1.28	-	-	-	-	-	-	2.29	1.25	-
EC401	1.96	1.52	1.09	1.11	-	-	-	-	-	-	1	0.98	0.61	0.7
EC402	2.56	1.13	0.91	-	0.65	-	-	-	-	-	1.75	-	0.87	1.39
EC403	2.06	1.8	1.69	-	-	-	-	-	-	-	-	2.06	-	-
EC404	2.91	2	-	-	-	-	-	-	-	-	-	2.91	0.97	-
EC405	1.47	0.68	-	1	-	-	-	-	-	-	-	-	-	1
EC407	1.56	0.96	0.96	-	-	-	-	-	-	-	-	2.19	0.88	0.85
EC409	2.1	2.1	1.4	1.4	0.7	0.99	1.24	0.68	1.21	1.08	0.99	2.1	2.1	1.98
EC451	3	3	2.5	2.5	3	1.5	1	2	3	2.5	2	2	3	2





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

EC468	1.08	2.06	1.69	1.35	1.27	-	-	-	-	-	-	-	1.86	1.42
EC469	1.62	1.82	-	-	-	2.36	-	-	-	2	-	2.42	0.68	1
EC492	-	-	-	0.5	1.5	-	-	1	1.5	-	1.5	1.5	1.5	1
HS200	0.74	1.37	-	2.43	-	2.53	-	-	-	-	1.2	-	-	-
HS210	2.39	2.39	-	-	-	0.8	-	2.63	2.82	2.79	2.32	-	-	-
HS300	-	-	-	-	-	-	-	1.12	1.46	0.79	1.71	-	-	-
MA201	1.77	1.14	-	0.54	-	-	-	-	-	-	-	-	-	-
MA204	1.95	1.73	1.41	0.55	-	-	-	-	-	-	-	-	-	-
PH100	0.48	0.32	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average Direct Attainment</b>	<b>1.85</b>	<b>1.69</b>	<b>1.55</b>	<b>1.36</b>	<b>1.59</b>	<b>1.48</b>	<b>1.2</b>	<b>1.47</b>	<b>1.97</b>	<b>1.57</b>	<b>1.49</b>	<b>1.79</b>	<b>1.26</b>	<b>1.43</b>
<b>Average Indirect Attainment</b>	<b>2.47</b>	<b>2.18</b>	<b>1.99</b>	<b>1.8</b>	<b>2.06</b>	<b>1.78</b>	<b>1.4</b>	<b>1.88</b>	<b>2.36</b>	<b>1.78</b>	<b>1.93</b>	<b>2.24</b>	<b>1.69</b>	<b>1.9</b>
<b>Total</b>	<b>1.98</b>	<b>1.79</b>	<b>1.64</b>	<b>1.45</b>	<b>1.69</b>	<b>1.54</b>	<b>1.24</b>	<b>1.55</b>	<b>2.05</b>	<b>1.61</b>	<b>1.58</b>	<b>1.88</b>	<b>1.61</b>	<b>1.74</b>

## Electronics Communication and Engineering Overall levels of attainment

Batch: 2018-22

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BE101-04	1.36	0.72	-	-	-	-	2.08	-	1.02	1.46	-	1.91	-	-
BE100	1.74	1.63	1.16	0.62	-	-	-	-	-	-	-	-	-	-
BE102	2.89	1.93	0.96	-	-	-	2.94	-	1.72	-	-	-	-	-
BE103	-	-	0.95	1.85	1.89	-	1.23	1.51	-	-	1.67	-	-	-
BE110	1.76	1.74	-	-	1.08	-	-	-	-	1.76	-	-	0.72	0.56
CE100	1.56	1.28	0.67	-	-	0.76	0.98	0.83	1.76	1.76	-	-	0.78	0.78
CE110	1.88	-	-	-	-	-	-	0.94	1.88	0.94	0.94	1.88	0.94	0.94
CE488	0.85	-	-	-	1.64	2.08	1.13	-	2.39	1.69	-	1.86	0.89	0.93
CY100	1.81	1.94	1.92	-	-	-	-	-	-	-	-	-	-	-
CY110	0.75	0.83	1	-	-	-	-	-	-	-	-	-	-	-
EC110	1.25	-	0.5	0.5	0.5	0.5	-	-	2	-	-	1	0.5	0.44
EC202	2.33	2.09	0.78	2.09	0.78	-	-	-	-	-	-	-	1.56	0.78
EC204	1.92	1.91	1.34	0.77	-	-	-	-	-	-	-	-	-	1.92
EC206	1.86	1.11	1.47	0.89	-	-	-	-	-	-	-	-	2.26	1.82
EC207	1.31	1.14	0.93	0.82	1.18	-	-	-	-	-	-	0.64	1.18	0.78
EC208	1.81	1.08	-	-	-	-	-	-	-	-	-	2.18	0.73	-
EC230	0.66	0.44	0.22	-	-	-	-	-	0.5	-	0.22	-	-	0.5
EC231	2.17	2.17	-	-	2.17	1.74	-	-	2.61	-	-	2.61	-	1.35
EC232	1.97	1.84	2.11	0.8	1.17	-	0.92	-	0.79	-	-	1.19	1.7	1.58
EC233	2.87	2.87	2.87	1.91	-	-	-	-	2.87	0.96	-	1.91	2.86	2.86
EC301	2.24	2.24	1.07	1.2	1.07	-	-	-	0.75	0.75	0.75	1.5	2.03	1.49
EC302	1.9	1.9	-	-	-	-	-	-	1.9	-	-	-	-	-
EC303	1.89	1.89	-	1.71	1.53	0.7	-	-	0.82	0.82	-	1.89	1.44	-





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

EC304	2.48	2.1	2.18	1.85	2.62	1.37	-	0.99	2.15	-	-	2.11	2.05	1.87
EC305	0.54	0.34	0.61	0.84	0.34	-	-	-	-	-	-	-	-	-
EC306	1.39	1.39	2.79	-	-	-	-	-	-	-	-	1.39	0.61	1
EC307	1.7	1.01	-	-	-	-	-	-	-	-	-	2.09	-	2.78
EC308	1.35	0.69	0.71	0.54	1.35	0.54	0.71	0.71	-	-	0.71	2.02	0.67	0.93
EC312	2.4	2.21	1.94	2.21	2.4	-	-	-	-	-	-	2.03	-	1.94
EC332	3	-	2	2	-	-	-	-	1	-	-	1	-	-
EC333	3	3	-	-	2	-	-	-	3	-	3	3	3	2.5
EC334	2	-	1	-	2.33	-	-	-	3	-	-	1	2.33	2.33
EC335	2.92	2.92	-	-	-	-	-	-	2.92	-	-	2.92	0.97	-
EC341	1.5	1.5	-	-	1	0.5	-	-	0.75	1.25	-	0.75	1	0.75
EC352	1.5	1	-	-	-	-	-	-	-	-	0.5	1	-	1
EC365	2.06	2.06	2.06	1.37	1.31	1.75	1.86	-	-	0.69	-	1.03	0.62	0.69
EC370	0.83	1.47	1.8	0.97	0.97	-	-	-	-	-	-	1.85	0.84	-
EC401	1.67	1.3	0.96	0.93	-	-	-	-	-	-	0.72	0.86	0.61	0.68
EC402	2.09	0.68	0.63	-	-	-	-	-	-	-	-	0.7	0.7	1.29
EC403	2.15	1.87	1.75	-	-	-	-	-	-	-	-	2.15	-	-
EC404	2.58	1.72	-	-	-	-	-	-	-	-	-	2.58	0.86	-
EC405	1.05	0.42	-	0.76	-	-	-	-	-	-	-	-	-	0.53
EC407	1.2	0.7	0.7	-	-	-	-	-	-	-	-	1.68	0.61	0.65
EC409	1.68	1.68	1.12	1.12	0.56	0.81	0.97	0.53	0.97	0.89	0.78	1.68	1.68	1.54
EC431	1.5	-	1.5	-	-	-	-	-	0.75	-	-	0.75	-	1.5
EC451	2.27	2.27	1.89	1.89	2.27	1.13	0.76	1.51	2.27	1.89	1.51	1.51	2.27	1.51
EC469	1.38	1.52	-	-	-	1.96	-	-	-	1.29	-	1.94	0.58	0.8
EC492	3	3	3	3	3	3	3	3	3	3	3	3	3	3
EE100	1.67	1.45	0.62	1.17	-	1.53	2.3	-	-	-	-	0.91	1.56	-
EE110	1.76	1.47	1.79	-	-	1.48	0.85	-	-	-	-	-	1.91	1.47
HS200	-	1.32	-	2.62	-	2.59	-	-	-	-	1.21	-	-	-
HS300	-	-	-	-	-	-	-	1.61	1.37	0.8	1.66	-	-	-
MA101	1.77	1.44	-	-	-	-	-	-	-	-	-	-	-	-
MA102	1.88	1.84	1.25	0.67	-	-	-	-	-	-	-	-	-	-
MA204	2.26	1.99	1.57	0.56	-	-	-	-	-	-	-	-	-	-
ME100	2.79	1.79	0.89	-	-	0.8	0.8	-	-	-	-	-	-	0.98
ME110	1.31	-	0.59	-	-	-	-	-	1.87	-	-	-	-	1.5
PH100	1.57	1.77	1.69	-	2.39	-	-	-	-	-	-	-	-	-
PH110	3	2.67	2.5	1.83	1	-	-	-	-	-	-	-	-	-
<b>Avarage Direct Attainment</b>	<b>1.86</b>	<b>1.63</b>	<b>1.39</b>	<b>1.34</b>	<b>1.52</b>	<b>1.37</b>	<b>1.47</b>	<b>1.29</b>	<b>1.76</b>	<b>1.33</b>	<b>1.28</b>	<b>1.67</b>	<b>1.36</b>	<b>1.33</b>
<b>Average Indirect Attainment</b>	<b>2.53</b>	<b>2.24</b>	<b>1.82</b>	<b>1.84</b>	<b>2.09</b>	<b>1.76</b>	<b>1.91</b>	<b>1.67</b>	<b>2.17</b>	<b>1.82</b>	<b>1.72</b>	<b>2.24</b>	<b>1.86</b>	<b>1.78</b>
<b>Total</b>	<b>1.99</b>	<b>1.75</b>	<b>1.47</b>	<b>1.44</b>	<b>1.63</b>	<b>1.44</b>	<b>1.55</b>	<b>1.37</b>	<b>1.84</b>	<b>1.43</b>	<b>1.37</b>	<b>1.79</b>	<b>1.69</b>	<b>1.66</b>





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

## Electronics Communication and Engineering

### Overall levels of attainment

Batch: 2019-23

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AET425	2.56	2.21	-	-	2.56	2.56	-	-	-	-	-	1.7	-	-
CET415	1.72	-	-	2.15	1.36	1.92	2.09	2.4	-	2.4	-	-	-	-
CST281	1.15	0.73	0.73	0.73	0.4	-	-	-	-	1.37	-	1.15	1.15	-
CST282	1.51	1.98	1.71	2.13	-	-	-	-	-	1.55	-	1.51	2.27	1.51
CST381	1.24	1.05	0.84	1	0.68	0.6	-	0.45	1.02	1.1	0.74	1.24	0.33	0.89
CSE445	1.51	1.85	1.83	-	1.66	-	-	-	-	-	-	1.97	1.62	1.62
CYT100	0.83	1.04	0.85	0.83	1.65	-	2.53	-	-	-	-	-	-	-
CYL120	1.01	1.16	1.32	-	-	-	-	-	-	-	-	-	-	-
ECL201	1.5	1.5	0.79	0.93	1.5	-	-	-	1.5	0.75	-	0.7	1.29	1
ECT201	2.23	2.46	-	-	-	-	-	-	-	-	-	-	-	0.6
ECL202	2.62	2.62	2.62	-	2.81	-	-	-	2.03	-	-	2.03	2.67	1.78
ECT202	2.75	2.75	-	-	-	-	-	-	-	-	-	1.84	-	1.77
ECL203	1.5	1	1	1.5	1.5	-	-	-	1.5	1.02	-	1.5	-	-
ECT203	2.33	2.33	2.56	-	2.62	-	-	-	-	-	-	-	2.62	2.43
ECL204	2.93	-	2.93	2.47	2.93	2.97	-	-	2.93	-	2.97	2.93	1.95	1.97
ECT204	2.19	2.19	1.87	-	-	-	-	-	-	-	-	-	-	-
ECT205	2.3	2.3	-	-	-	-	-	-	-	-	-	1.53	1.84	-
ECT206	2.56	2.45	2.65	-	2.5	-	-	-	-	-	-	2.56	2.04	2.56
ECT301	2.84	2.84	1.52	1.9	1.87	-	-	-	-	-	-	0.95	-	1.43
ECT302	2.55	2.55	0.85	0.85	-	-	-	-	-	-	-	1.7	-	-
ECT303	2.28	2.28	2.18	-	2.35	-	-	-	-	-	-	1.67	1.51	1.51
ECT304	2.7	1.83	2.54	-	-	-	-	-	-	-	-	1.8	1.77	-
ECT305	1.86	1.86	1.18	1.77	1.77	1.12	-	-	-	-	-	1.12	-	1.18
ECT306	1.89	1.89	1.15	1.72	1.72	1.17	-	-	-	-	-	1.17	1.73	-
ECT307	2.31	2.31	1.94	-	0.77	-	-	-	-	-	-	1.54	-	2.2
ECT308	1.08	0.94	0.36	-	-	-	-	-	-	-	-	0.72	1.08	0.72
ECL331	2.97	2.97	2.64	-	2.32	-	-	1.98	2.96	-	-	1.98	3	2.97
ECL332	2.24	2.24	2.24	1.74	2.24	-	-	-	2.24	1.49	-	1.24	-	-
ECL333	2.79	2.79	1.21	1.64	2.79	-	-	-	2.7	1.25	-	1	1.71	1.71
ECT352	2.3	2.3	1.85	-	0.77	-	-	-	-	-	-	1.53	1.53	1.69
ECT393	0	0	-	-	0	-	-	-	-	-	-	0	-	-
ECT401	2.76	2.76	2.32	0.92	2.42	-	-	-	-	-	-	1.84	2.42	-
ECT402	1.44	1.27	1.58	0.92	-	1.26	-	-	-	-	-	-	1.35	-
ECL411	-	1.5	1.5	1.5	1	1.5	-	-	1.5	-	-	1.5	1.5	1.5
ECQ413	1.4	1.25	1	1.17	1.17	1	0.5	0.67	-	1.33	-	1.5	-	-
ECT413	2.08	2.08	1.13	-	-	-	-	-	-	-	-	0.69	-	1.17
ECD415	1	1.17	1.17	0.5	0.9	1.25	1.25	0.88	0.9	1	0.8	0.67	1.5	1.5





# VIMAL JYOTHI ENGINEERING COLLEGE


JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

ECT416	2.84	2.84	2.84	-	1.87	2.87	-	-	-	-	-	1	2.84	-
ECT468	1.99	-	0.8	-	-	-	1.99	-	-	-	-	0.99	-	-
ECT474	1.68	-	0.84	-	1.68	-	-	1.75	-	0.91	2.52	-	-	-
EST100	1.89	1.89	-	-	-	-	-	-	-	-	-	-	-	0.68
EST102	1.03	0.8	0.81	1.09	0.78	0.97	-	-	-	1	0.97	0.83	0.95	0.77
EST110	1.97	0.77	-	-	1.88	-	-	-	-	1.22	-	-	-	0.83
ESL120	1.08	-	-	-	0.95	0.95	-	1.85	1.9	1.9	0.92	0.95	-	-
EST120	2.63	1.43	-	0.77	2.48	2.29	2.24	1.86	1.69	-	-	-	-	0.96
ESL130	2.6	-	-	1	-	1	-	1	2.5	1.67	-	1.71	1.75	1.5
EST130	2.1	0.83	-	-	-	-	-	-	-	-	-	1.73	1.84	-
EST200	1.79	1.28	0.97	-	-	0.66	0.69	0.84	0.97	0.93	-	1.08	1.28	1.46
HUN101	-	3	2	1	-	1.3	-	0.98	2.19	2.64	0.98	1.97	-	-
HUN102	1	1	-	-	-	0.74	-	-	1.5	2.15	-	1.82	-	-
HUT200	-	-	-	-	-	-	-	2.19	-	-	1.69	-	-	-
HUT300	1.87	1.86	0.91	-	2	1.49	3	-	-	-	2.8	-	-	-
HUT310	1.98	1.88	1.88	1.88	0.96	1.2	1.26	1.6	0.95	1.7	1.16	-	-	1.98
MAT101	2.18	2.03	2.18	2.03	1.3	0.73	-	-	0.73	1.45	-	1.45	-	-
MAT102	2.85	2.85	2.85	2.85	1.9	0.95	-	-	0.95	1.9	-	1.9	-	-
MAT201	2.22	2.22	2.22	2.22	1.48	0.74	-	-	-	1.48	-	1.48	-	-
MAT204	2.77	1.85	1.85	1.85	1.85	-	-	-	-	1.85	-	0.92	-	-
MCN201	-	-	-	-	-	1.51	2.26	-	-	-	-	1.51	-	-
MCN202	-	-	-	-	-	2.25	1.85	2.25	-	2.17	-	-	0.95	-
MCN301	1.9	2.4	2	1.71	1.68	1.56	2.23	1.08	-	2.31	-	1.56	-	-
MCN401	1.85	1.67	1.81	1	0.91	1.12	1.12	1.12	0.92	0.92	-	0.92	-	3
MET445	1.74	1.72	-	-	0.57	0.57	0.57	-	-	-	0.57	1.74	-	-
PHT100	2.84	1.5	-	-	-	-	-	0.95	1.9	-	-	0.95	-	-
PHL120	2.4	-	-	-	1.6	-	-	0.8	1.6	-	-	0.8	0.8	0.8
<b>Avarage Direct Attainment</b>	<b>2</b>	<b>1.86</b>	<b>1.64</b>	<b>1.46</b>	<b>1.62</b>	<b>1.37</b>	<b>1.68</b>	<b>1.37</b>	<b>1.68</b>	<b>1.52</b>	<b>1.47</b>	<b>1.4</b>	<b>1.69</b>	<b>1.52</b>
<b>Average Indirect Attainment</b>	<b>2.66</b>	<b>2.5</b>	<b>2.18</b>	<b>2.03</b>	<b>2.2</b>	<b>1.8</b>	<b>2.08</b>	<b>1.73</b>	<b>2.21</b>	<b>2.09</b>	<b>1.89</b>	<b>1.94</b>	<b>2.31</b>	<b>2.07</b>
<b>Total</b>	<b>2.13</b>	<b>1.99</b>	<b>1.75</b>	<b>1.57</b>	<b>1.74</b>	<b>1.45</b>	<b>1.76</b>	<b>1.44</b>	<b>1.79</b>	<b>1.63</b>	<b>1.55</b>	<b>1.51</b>	<b>1.95</b>	<b>1.82</b>



### Electrical and Electronics Engineering

#### Overall levels of attainment

Batch : 2017-21

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
CE488	0.85	-	-	-	1.48	2.17	1.19	-	2.4	1.7	-	1.76	0.99	0.62
EE201	2.01	2.01	1.29	1.29	0.76	-	-	-	-	-	-	-	2.01	1.43
EE202	0.8	1.02	1.11	1.05	-	0.72	0.72	-	-	-	-	0.99	0.8	1.63
EE203	1.91	1.91	1.91	1.15	0.87	0.64	0.73	1.56	-	-	-	1.15	1.91	1.82
EE204	1.7	1.03	1.36	-	0.82	-	-	-	-	-	-	1.19	0.76	-
EE205	1.18	0.98	0.83	1.41	-	0.88	1.35	-	-	-	-	0.89	1.18	1.18
EE206	1.89	0.7	0.63	0.63	0.7	0.63	1.1	-	-	-	-	1.26	0.63	1.89
EE207	1.34	1.16	1.59	1.29	1.15	1.55	1.55	0.59	0.89	0.78	0.72	1.78	0.7	0.92
EE208	1.43	1.05	1.3	-	-	1.25	-	1.35	-	0.89	0.91	-	1.64	1.09
EE231	1.42	1.33	-	-	-	1.05	-	-	1.5	-	-	1.5	-	0.5
EE232	0.86	0.86	0.43	0.43	-	-	-	-	0.43	-	-	0.43	0.43	0.86
EE233	0.99	0.87	0.75	0.5	0.97	0.5	-	-	0.99	-	0.5	1.37	-	0.5
EE234	0.35	0.45	0.56	0.37	-	0.24	-	-	-	-	-	-	0.49	0.56
EE301	1.34	0.67	1.1	0.67	-	0.71	0.71	-	-	-	-	1.34	1.58	1.43
EE302	1.95	1.54	1.67	2.72	-	-	1.96	-	-	-	-	1.64	2.16	2.16
EE303	1.75	1.54	-	1.59	-	-	-	-	-	-	-	1.36	1.96	1.63
EE304	2.56	2.56	2.03	1.47	-	-	-	-	0.85	-	-	1.87	1.7	1.7
EE305	0.66	0.75	0.9	-	-	-	-	-	-	-	-	0.91	0.66	1.57
EE306	2.34	1.95	1.7	1.56	0.78	1.24	1.63	1.63	-	-	-	2.34	2.34	2.34
EE307	1.45	1.45	0.59	0.64	0.64	-	-	-	-	-	-	0.48	0.48	-
EE308	2.44	2.16	1.6	1.03	-	-	-	-	-	-	-	1.78	2.44	1.63
EE309	1.83	1.83	1.83	1.83	1.98	0.75	0.75	0.75	0.75	0.75	1.96	1.96	2.1	2.1
EE331	0.61	-	0.61	-	-	-	-	-	0.61	-	-	-	0.77	-
EE332	1.38	1.25	1.33	0.83	1.5	-	-	-	1.5	0.5	-	1.12	1.5	1
EE333	0.77	0.77	-	0.26	-	-	-	-	0.77	-	-	0.26	0.77	0.77





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001 : 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

EE334	1.42	1.33	1	1.25	-	-	-	-	-	-	-	-	1.5	1.5
EE341	1.5	1.2	0.8	1.2	0.8	1.2	1.5	1.5	1.2	1.5	1.5	1.2	1.5	1.5
EE352	1.38	1.25	0.88	1.12	0.75	1.25	1	0.5	0.5	1.38	1.38	0.5	1.5	1.5
EE367	1.37	0.87	1.43	0.65	0.88	0.79	1.11	-	-	-	0.88	0.79	1.21	1.47
EE368	2.73	2.73	2.73	2.73	2.73	0.91	0.91	0.91	-	-	-	0.91	0.91	0.91
EE372	0.76	-	1.51	-	0.98	1.51	-	-	-	-	-	0.76	-	0.76
EE401	0.57	0.73	0.38	0.73	-	0.55	0.63	-	-	-	-	0.34	0.27	-
EE402	2.31	1.38	1.3	-	-	1.84	-	-	-	-	-	1.78	1.49	1.55
EE403	1.43	0.89	0.85	0.71	1.43	2	2.4	-	-	-	-	1.43	0.71	2.14
EE404	2.81	1.56	2.81	1.56	2.33	0.93	-	-	-	-	0.93	-	2.33	2.8
EE405	0.84	1.08	1.55	0.98	-	0.14	0.28	-	-	-	0.57	-	1.81	0.6
EE407	1.35	1.35	1.62	1.17	-	-	-	-	-	-	-	-	-	-
EE409	1.45	1.34	0.81	1.18	0.53	-	-	-	-	-	-	-	1.29	-
EE431	0	0	0	0	0	0	-	-	-	-	0	0	0	0
EE451	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EE469	1.26	1.37	0.72	0.45	-	1.44	1.7	-	-	-	-	0.58	-	0.9
EE474	2.08	1.77	1.44	1.46	-	-	1	1	1	-	-	1.29	1.18	1.33
EE492	1.5	1.25	0.83	0.92	1	0.83	1	0.92	1.5	1.5	1.5	1.5	1.5	1.5
HS200	-	0.77	-	0.84	0.77	-	-	-	-	-	1.29	1.29	-	-
HS210	2.62	2.62	-	-	-	0.87	-	2.21	1.91	2.95	1.39	-	0.8	-
HS300	1.82	1.39	2.23	1.79	1.84	2.16	2.11	2.19	2.26	1.88	0.9	-	1.13	1.58
MA201	1.79	1.79	-	0.57	-	-	-	-	-	-	-	-	-	-
<b>Avarage Direct Attainment</b>	<b>1.45</b>	<b>1.28</b>	<b>1.2</b>	<b>1.05</b>	<b>1.07</b>	<b>0.99</b>	<b>1.15</b>	<b>1.16</b>	<b>1.12</b>	<b>1.26</b>	<b>0.96</b>	<b>1.14</b>	<b>1.23</b>	<b>1.3</b>
<b>Average Indirect Attainment</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>
<b>Total</b>	<b>1.76</b>	<b>1.63</b>	<b>1.56</b>	<b>1.44</b>	<b>1.46</b>	<b>1.39</b>	<b>1.52</b>	<b>1.53</b>	<b>1.5</b>	<b>1.61</b>	<b>1.37</b>	<b>1.51</b>	<b>1.58</b>	<b>1.64</b>

### Electrical and Electronics Engineering Overall levels of attainment

Batch: 2018-22

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BE101-03	1.55	1.55	-	-	-	-	-	-	-	-	-	1.55	0.78	0.78
BE100	2.11	1.99	1.48	0.78	-	-	-	-	-	-	-	-	-	-
BE102	-	-	1.95	-	-	0.98	0.98	-	0.95	-	1.19	0.98	0.98	-
BE103	-	-	0.95	2.2	1.97	-	1.27	1.71	-	-	1.75	-	-	-
BE110	2.38	2.16	-	-	2.56	-	-	-	-	2.38	-	-	-	-
CE110	1	-	-	1	-	-	-	0.5	1	0.5	0.5	1	0.5	0.5
CE488	0.93	-	-	-	1.9	2.34	1.32	-	2.65	1.86	-	2.02	0.94	0.92
CY100	1.79	1.94	1.96	-	-	-	-	-	-	-	-	-	-	-
CY110	0.58	0.67	0.75	-	-	-	-	-	-	-	-	-	-	-





# VIMAL JYOTHI ENGINEERING COLLEGE

**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001 : 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

**NAAC Cycle 2**

**Criterion: 2.6.2**

EC100	1.98	1.06	-	-	-	-	2.83	-	1.73	2.24	-	2.75	0.92	0.9
EC110	0.75	0.5	0.5	0.5	1	-	-	-	1	-	1	0.5	1.25	0.75
EE110	1.1	0.85	1	-	0.5	0.8	-	0.5	-	-	-	0.5	1	0.5
EE202	2.19	2.34	2.05	1.77	-	-	-	-	-	-	1.62	1.47	2.36	2.21
EE203	2.36	2.36	2.36	1.44	1.07	0.79	0.91	2.1	-	-	-	1.44	2.36	2.24
EE204	1.35	1.53	1.53	1.08	-	-	-	-	-	-	-	-	2.45	0.82
EE205	1.21	1.06	0.89	1.51	-	0.97	1.37	-	-	-	-	0.99	1.28	1.28
EE206	1.68	0.84	2.52	1.68	1.68	0.84	2.52	-	-	-	-	-	-	-
EE207	1.39	1.21	1.74	1.49	1.02	1.06	1.06	0.74	0.86	0.62	0.72	1.9	-	1.44
EE208	2.73	1.47	0.91	1.75	1.75	-	-	-	-	-	-	1.55	1.82	1.54
EE231	1.42	1.33	-	-	-	1.1	-	-	1.5	-	-	1.5	-	0.5
EE232	1	1	0.5	0.5	-	-	-	-	0.5	-	-	0.5	-	-
EE233	1	1	1	-	-	-	-	-	-	-	-	1	-	-
EE234	0.86	1.14	1.36	0.92	-	0.83	-	-	-	-	-	-	1.21	1.36
EE301	1.73	1.47	1.43	0.85	0.75	0.58	0.7	0.58	-	-	-	1.15	1.73	1.15
EE302	1.54	1.13	1.26	2.12	-	-	1.15	-	-	-	-	0.85	1.55	1.55
EE304	1.9	1.9	1.35	0.98	-	-	-	-	0.63	-	-	1.05	1.26	1.26
EE305	0.6	0.72	0.83	-	-	-	-	-	-	-	-	0.82	0.6	1.42
EE306	2.06	1.62	1.43	1.38	0.69	0.82	0.67	0.67	-	-	-	2.06	2.06	2.06
EE307	1.7	1.7	1.13	0.57	0.57	-	-	-	-	-	-	0.57	-	-
EE308	1.99	1.79	1.35	0.9	-	-	-	-	-	-	-	1.3	1.99	1.32
EE309	1.92	1.27	1.26	1.44	1.59	1.24	1.24	-	0.62	1.24	1.44	0.62	1.02	1.45
EE331	1.15	1.15	1.15	-	-	-	-	-	1.15	-	-	-	-	-
EE332	1.42	1.25	1.1	0.75	1.5	-	-	-	1.5	0.5	-	1.25	1.5	1
EE333	1.5	1.5	-	0.5	-	-	-	-	1.5	-	-	0.5	1.5	1.5
EE334	0.75	0.75	0.5	0.5	0.25	-	-	-	0.5	-	-	0.5	0.5	0.75
EE341	1.5	1.2	0.8	1.2	0.8	1.2	1.5	1.5	1.2	1.5	1.5	1.2	1.5	1.5
EE352	1.38	1.25	0.88	1.12	0.75	1.25	1	0.5	0.5	1.38	1.38	0.5	1.5	1.5
EE367	1.48	1.24	1.83	0.83	1	0.73	1.23	-	-	-	1	0.73	1.41	1.65
EE372	0.76	-	1.52	-	0.36	1.52	-	-	-	-	-	0.76	-	0.76
EE401	0.39	0.67	0.39	0.56	-	0.44	0.55	-	-	-	-	0.22	0.69	-
EE402	2.11	1.26	0.95	-	-	1.56	-	-	-	-	1.69	-	1.38	1.56
EE403	1.07	0.61	0.56	0.53	1.07	0.86	1.17	-	-	-	-	1.07	0.53	1.6
EE404	2.52	1.4	2.52	1.4	2.09	0.84	-	-	-	-	0.84	-	-	-
EE405	0.62	0.79	1.15	0.71	-	0.16	0.32	-	-	-	0.43	-	1.31	0.44
EE407	0.94	0.94	1.1	0.75	-	-	-	-	-	-	-	-	-	-
EE409	1.15	1.06	0.64	0.93	0.47	-	-	-	-	-	-	-	1.02	-
EE431	0	0	0	0	0	0	-	-	-	-	0	0	0	0
EE451	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EE469	0.89	0.99	0.49	0.58	-	1.12	0.87	-	-	-	-	0.43	-	0.61
EE474	2	1.7	1.41	1.39	-	-	0.88	0.88	0.88	-	-	1.22	1.15	1.21





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

EE492	1.5	1.25	0.83	0.92	1	0.83	1	0.92	1.5	1.5	1.5	1.5	1.5	1.5
HS200	1.99	2.05	1.52	-	-	-	-	-	-	0.66	-	-	-	-
HS210	2.62	2.62	-	-	-	0.87	-	3	2.81	2.88	1.83	-	0.94	0.87
HS300	-	-	3	3	3	3	2.62	2.62	1.72	1.08	-	-	0.36	0.68
MA101	2.17	1.81	-	-	-	-	-	-	-	-	-	-	-	-
MA102	2.13	2.13	1.42	0.71	-	-	-	-	-	-	-	-	-	-
MA202	2.46	2.46	1.9	0.74	-	-	-	-	-	-	-	-	-	-
ME100	2.75	1.66	0.83	-	-	0.92	0.92	-	-	-	-	-	-	0.92
ME110	1	-	0.5	-	-	-	-	-	1.5	-	-	-	-	1
PH100	1.77	1.92	1.85	-	2.48	-	-	-	-	-	-	-	-	-
PH110	1.08	1.2	1.1	-	1.5	-	-	-	-	-	-	-	-	-
<b>Average Direct Attainment</b>	<b>1.48</b>	<b>1.34</b>	<b>1.22</b>	<b>1.05</b>	<b>1.19</b>	<b>0.99</b>	<b>1.17</b>	<b>1.16</b>	<b>1.19</b>	<b>1.31</b>	<b>1.08</b>	<b>1.03</b>	<b>1.21</b>	<b>1.12</b>
<b>Average Indirect Attainment</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2.81</b>	<b>2.57</b>	<b>3</b>	<b>2.81</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>
<b>Total</b>	<b>1.78</b>	<b>1.67</b>	<b>1.58</b>	<b>1.4</b>	<b>1.47</b>	<b>1.39</b>	<b>1.5</b>	<b>1.53</b>	<b>1.55</b>	<b>1.65</b>	<b>1.46</b>	<b>1.42</b>	<b>1.57</b>	<b>1.5</b>

## Electrical and Electronics Engineering

Overall levels of attainment

Batch: 2019-23

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
AET425	2.32	2.02	-	-	2.32	2.32	-	-	-	-	-	1.55	-	-
CET285	1.42	-	-	-	1.43	-	-	1.43	-	-	-	1.43	-	1.42
CET286	2.5	-	-	-	-	1.67	0.83	-	-	-	-	-	-	-
CET385	1.03	1.84	1.39	-	1.39	-	-	-	-	-	-	-	-	-
CET415	2	-	-	2.33	1.5	1.99	2.24	2.5	-	2.5	-	-	-	-
CST281	1.13	0.72	0.72	0.72	0.4	-	-	-	-	1.3	-	1.13	1.13	-
CST282	1.46	1.91	1.67	1.93	-	-	-	-	-	1.47	-	1.46	2.19	1.46
CST283	1.11	1.11	1.54	0.4	1.11	0.82	1.31	-	-	0.62	0.6	1.11	-	-
CST284	2.04	2.04	2.04	1.92	0.6	1.53	-	-	-	0.6	-	2.04	2.04	2.04
CST381	1.08	0.98	0.62	0.82	1.03	0.26	-	0.51	1.54	1.28	0.94	1.08	-	-
CST383	1.47	1.47	1.47	1.47	1.47	1.34	-	-	-	-	-	1.47	1.02	-
CSE445	1.26	1.52	1.61	-	1.42	-	-	-	-	-	-	1.6	1.34	1.34
CYT100	0.93	0.99	0.84	0.85	1.67	-	2.63	-	-	-	-	-	-	-
CYL120	2.44	-	-	-	1.75	-	-	-	-	-	-	2.44	-	-
ECT281	0.73	0.73	-	-	-	-	-	-	-	-	-	0.48	0.73	-
EEL201	2.28	2.28	1.84	2.4	1.6	-	-	-	1.62	2.4	2.4	2.28	2.28	2.27
EET201	1.98	1.98	-	-	-	-	-	-	-	-	-	1.98	1.98	1.32
EEL202	2.84	2.84	1.89	1.89	-	-	-	-	2.84	1.89	-	2.84	1.89	1.89
EET202	2.59	2	1.89	-	1.64	1.74	-	-	-	-	-	2.59	1.72	1.45
EEL203	1.38	1.51	1.89	-	1.08	-	-	-	1.62	-	-	-	0.36	0.72





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

EET203	2.02	0.64	-	-	0.83	-	-	-	-	-	-	1.16	1.46	1.16
EEL204	2.53	1.89	1.68	2.53	2.33	-	-	1.69	2.53	2.53	1.64	1.25	1.89	1.05
EET204	1.75	2.62	-	-	-	-	-	-	-	-	-	-	1.75	-
EET205	1	1	0.95	1.7	-	-	-	-	-	-	-	-	1.56	0.88
EET206	2.64	1.95	1.58	-	1.95	-	-	-	-	-	-	-	2.64	-
EET301	2.37	1.35	-	-	-	1.6	1.6	1.6	-	-	0.83	1.32	0.79	2.37
EET302	2.02	2.02	2.03	0.78	1.45	-	-	-	-	-	-	1.54	2.02	1.35
EET303	2.35	1.56	2.13	1.6	1.06	0.68	-	-	-	-	-	0.68	1.56	1.56
EET304	2.19	2.04	1.15	-	-	-	-	-	-	-	2.12	1.1	-	2.19
EET305	2.17	2.17	2.1	-	1.58	-	-	-	-	-	-	1.05	-	-
EET306	2.43	1.79	1.2	1.34	-	-	-	-	-	-	-	1.51	2.43	1.76
EET308	1.08	1.01	0.36	-	0.36	0.36	0.36	0.36	-	-	0.36	0.72	-	-
EET322	2.58	2.58	-	-	-	-	-	-	-	-	-	1.72	1.72	1.92
EEL331	2.72	2.72	2.13	2.13	2.72	2.88	2.88	2.13	2.13	2.72	1.92	1.81	2.09	-
EEL332	2.4	1.51	1.04	2.4	2.4	1.94	1.01	1.92	1.92	2.4	0.72	2.16	0.8	1.84
EEL334	1.69	1.69	1.13	1.13	1.19	-	-	-	1.69	1.13	-	1.69	1.69	1.69
EET393	0	0	-	0	0	-	-	-	-	-	-	0	0	0
EET401	2.41	2.27	1.75	-	-	-	-	-	-	-	-	1.61	1.87	0.8
EET402	2.34	0.93	2.21	-	-	0.78	0.77	0.91	-	-	0.86	0.81	1.56	1.56
EEL411	2.68	2.68	2.46	2.68	2.68	-	-	2.68	2.68	2.68	-	2.68	2.68	-
EEQ413	2.69	2.4	1.92	2.24	2.2	1.92	0.96	1.28	-	2.56	-	2.78	-	-
EET413	2.31	1.4	-	1.68	-	-	-	-	-	-	-	0.7	0.75	2.16
EED415	1.92	1.92	1.92	0.96	1.73	2.4	2.4	1.68	1.73	1.92	1.54	1.28	2.88	2.88
EET424	1.04	-	0.49	0.82	-	0.5	0.5	-	0.54	-	1.18	-	-	-
EET426	2.6	1.73	-	-	-	1.73	-	-	-	-	-	1.73	1.73	1.73
EET438	1.72	1.1	0.58	-	-	0.66	0.58	-	-	-	-	0.66	0.62	0.65
EST102	2.25	1.62	1.38	1.38	2.25	-	-	-	-	0.88	1.38	0.75	-	0.75
EST110	2.84	0.98	-	-	3	-	-	-	-	2	-	-	-	-
ESL120	1.19	-	-	-	0.86	0.86	-	1.74	1.73	-	0.87	0.85	-	-
ESL130	2.41	-	-	0.91	1.86	1.85	-	0.91	2.29	1.53	-	1.54	1.85	2.11
EST130	2.88	0.94	-	-	-	-	-	-	-	-	-	1.92	1.9	1.9
EST200	1.95	1.44	0.97	-	-	0.72	0.73	0.95	0.97	0.97	-	1.19	2.41	2.41
HUT200	-	-	-	-	-	-	-	2.1	-	-	1.67	-	1.39	1.81
HUT300	1.95	1.94	0.96	-	2	1.5	3	-	-	-	2.92	-	-	-
HUT310	1.68	1.62	1.62	1.62	0.83	1.09	1.19	1.41	0.83	1.5	0.98	0.82	0.8	0.84
MAT102	2.65	2.65	2.65	2.65	1.77	0.88	-	-	0.88	1.77	-	1.77	-	-
MAT204	2.23	1.48	1.48	1.48	1.48	-	-	-	-	1.48	-	0.74	-	-
MCN201	-	-	-	-	-	1.23	1.85	-	-	-	-	1.23	-	-
MCN202	-	-	-	-	-	2.35	1.9	2.35	-	2.29	-	-	-	-
MCN301	2.07	2.63	2.1	1.74	1.86	1.69	2.44	1.08	-	2.54	-	1.69	-	-
MCN401	1.81	1.62	1.78	0.84	0.89	1.1	1.1	1.1	0.87	0.87	-	0.91	1.81	1.81





# VIMAL JYOTHI ENGINEERING COLLEGE


JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

MET285	2.13	1.99	-	0.4	0.6	-	-	-	-	-	-	0.4	0.4	-
MET286	2.52	2.52	2.48	2.52	-	-	-	-	-	-	-	1.65	-	2.01
MET385	1.66	1.43	0.71	1.27	1.78	-	0.2	-	1.23	0.71	0.64	0.81	-	-
MET445	2.75	2.68	-	-	0.89	0.89	0.89	-	-	-	0.89	2.75	1.77	-
PHT100	2.9	1.55	-	-	-	-	-	0.97	1.93	-	-	0.97	0.97	0.97
PHL120	1.08	-	-	-	0.72	-	-	0.36	0.72	-	-	0.36	0.36	0.36
<b>Average Direct Attainment</b>	<b>1.98</b>	<b>1.71</b>	<b>1.53</b>	<b>1.52</b>	<b>1.48</b>	<b>1.38</b>	<b>1.43</b>	<b>1.44</b>	<b>1.61</b>	<b>1.71</b>	<b>1.29</b>	<b>1.4</b>	<b>1.54</b>	<b>1.52</b>
<b>Average Indirect Attainment</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>
<b>Total</b>	<b>2.18</b>	<b>1.97</b>	<b>1.83</b>	<b>1.81</b>	<b>1.78</b>	<b>1.7</b>	<b>1.74</b>	<b>1.75</b>	<b>1.89</b>	<b>1.97</b>	<b>1.63</b>	<b>1.72</b>	<b>1.84</b>	<b>1.82</b>



### Mechanical Engineering Overall levels of attainment

Batch: 2017-21

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BT362	2.74	-	1.83	-	-	1.83	2.57	-	-	-	-	-	-	2
CE230	0.5	0.33	-	0.25	-	0.32	-	-	0.6	-	0.37	-	0.2	0.33
CY100	0.35	0.37	0.4	-	-	-	-	-	-	-	-	-	-	-
EE311	1.64	0.83	0.82	-	1.52	0.93	0.81	-	-	-	-	0.76	1.36	0.68
EE335	1.14	1.14	1.13	0.57	-	0.58	-	-	-	-	0.2	0.2	0.66	0.61
HS200	1.69	1.44	1.27	1.17	-	-	-	-	-	0.74	-	-	0.95	0.79
HS210	2.29	2.31	1.75	-	-	-	-	-	-	0.65	-	-	-	-
HS300	-	-	2.29	2.16	2.16	2.29	2.14	1.99	2.23	2.1	2.15	0.99	-	0.95
IE306	2.09	1.42	1.89	-	-	-	-	-	0.97	1.79	1.95	-	-	0.49





# VIMAL JYOTHI ENGINEERING COLLEGE

**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001 : 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

**NAAC Cycle 2**

**Criterion: 2.6.2**

MA201	1.76	0.79	-	-	-	-	-	-	-	-	-	-	-	-
MA202	1.67	1.67	1.01	0.93	-	-	-	-	-	-	-	-	-	-
ME201	2.08	2.08	1.38	-	-	-	-	-	-	0.68	-	-	-	-
ME202	2.23	2.23	1.49	0.74	-	-	-	-	-	-	-	-	-	0.74
ME203	2.07	1.38	1.38	1.46	-	1.57	1.57	-	-	-	1.4	1.5	-	-
ME204	2.33	2.33	1.43	0.82	-	1.72	0.86	-	-	-	-	-	-	0.78
ME205	2.04	1.36	1.35	1.35	-	0.68	0.73	-	-	-	-	0.68	-	-
ME206	2.35	1.56	1.56	-	-	-	-	-	-	-	-	-	1.55	-
ME210	1.95	1.69	1.49	1.34	1.55	1.06	1.11	-	-	0.71	-	0.55	-	-
ME220	2.49	2.49	1.95	0.92	-	-	-	-	-	-	-	1.64	-	1.8
ME230	2	-	-	3	-	-	-	-	2	-	-	-	-	-
ME231	2.16	2.18	2.19	-	2.74	-	-	-	-	-	-	-	2.5	1.49
ME232	0.81	0.61	0.51	0.81	-	-	-	-	0.6	0.51	-	-	-	-
ME301	2.2	2.33	1.33	0.82	0.68	-	-	-	-	-	-	1.38	1.92	1.61
ME302	2.66	2.66	0.89	0.89	-	-	-	-	-	-	-	-	-	1.03
ME303	2.23	1.61	1.07	-	1.41	-	-	-	-	-	1.93	2.9	1.93	2.9
ME304	2.11	2.56	1.49	1.74	-	-	-	-	-	-	-	-	1.99	2
ME305	1.74	1.74	1.47	1.47	1.23	1.48	-	-	1.47	-	1.23	1.23	1.74	1.74
ME306	2.78	2.7	2.22	1.91	2.51	-	-	-	-	-	-	-	1.74	2.11
ME308	1.7	2.24	-	-	2.87	-	-	-	-	-	-	-	2.71	-
ME312	2.74	2.74	1.83	-	-	-	-	-	-	0.89	-	-	2.44	2.28
ME331	1.76	1.37	1.05	1.17	-	-	-	-	-	-	-	-	-	0.2
ME332	1.83	2.4	-	-	3	-	-	-	-	-	-	-	3	-
ME334	1.37	0.99	0.99	-	-	-	-	-	0.99	-	-	-	0.99	-
ME341	3	2	3	1.67	3	1	1	1.5	3	2.67	-	-	-	2.17
ME352	2.71	2.71	2.71	1.81	0.9	0.9	0.9	1.81	1.81	2.71	-	0.9	-	-
ME367	2.71	1.8	-	-	1.8	2.69	-	-	-	-	-	-	-	1.8
ME368	1.95	1.87	-	1.94	1.93	-	-	1.92	1.95	2.04	-	-	-	1.7
ME401	2.07	1.78	1.78	1.83	-	-	-	-	-	-	-	-	-	1.17
ME402	2.4	2.4	2.4	1.22	-	-	-	-	-	-	-	-	-	2.4
ME403	2.49	1.66	1.79	-	-	1.66	2.49	-	-	-	-	-	-	0.87
ME404	2.27	-	2.12	-	1.83	2.15	-	1.49	1.42	2.12	2.12	1.85	-	-
ME405	2.43	1.62	1.62	0.95	-	1.56	1.46	-	-	-	-	1.29	-	0.95
ME407	1.93	1.81	0.97	-	2.38	1.63	-	-	-	-	-	-	1.46	-
ME409	2.47	2.48	1.4	1.57	0.96	-	-	-	-	-	-	-	1	1
ME431	0.5	0.4	0.4	-	-	-	-	-	0.4	-	-	-	-	-
ME451	2.75	2.33	2.5	2	2	2	2	3	3	3	3	3	2.5	2.5
ME463	1.65	-	0.74	0.49	-	-	-	-	-	-	-	0.83	-	0.74
ME474	2.45	2.45	1.64	1.64	1.64	-	-	-	-	-	-	-	-	0.82
ME492	2.8	2.78	2.6	2.6	2.55	2	2	2.17	2.6	2.6	2.6	2.5	2.75	2.75





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

<b>Average Direct Attainment</b>	2.04	1.81	1.55	1.37	1.93	1.48	1.51	1.98	1.65	1.66	1.7	1.39	1.76	1.4
<b>Average Indirect Attainment</b>	2.69	2.38	2.06	1.79	2.22	1.87	1.83	2.17	2.33	1.89	2.17	1.72	2.11	1.69
<b>Total</b>	2.17	1.92	1.65	1.46	1.99	1.55	1.58	2.02	1.78	1.7	1.79	1.45	2	1.72

## Mechanical Engineering Overall levels of attainment

Batch: 2018-22

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
BE101-02	2.34	0.94	0.79	-	-	-	1.6	-	1.61	0.81	-	1.93	-	-
BE100	2.04	1.92	1.33	0.72	-	-	-	-	-	-	-	-	0.71	-
BE102	2.75	1.95	0.97	-	-	-	2.47	-	1.94	-	-	-	1.96	2.61
BE103	2.78	1.9	1.85	1.84	2.15	1.85	2.78	1.66	-	1.8	1.84	-	-	-
BE110	2.45	2.25	-	-	2.69	-	-	-	-	2.45	-	-	2	-
BT362	2.4	-	1.6	-	-	1.6	2.27	-	-	-	-	-	-	1.62
CE100	1.38	1.08	0.94	-	-	1.3	1.09	0.92	1.61	2.04	0.84	2.51	0.89	0.93
CE110	1.87	-	-	-	-	-	-	0.94	1.87	0.94	0.94	1.87	0.94	0.94
CE230	2.39	1.59	0.9	1.27	-	1.53	-	-	2.87	-	1.75	1.19	0.96	1.59
CY100	1.71	1.84	1.92	-	-	-	-	-	-	-	-	-	-	-
CY110	0.97	1.14	1.18	-	-	-	-	-	-	-	-	-	0.81	0.81
EC100	1.94	1.64	2.4	2.4	1.56	1.68	1.76	0.68	1.28	1.35	2.09	2.07	-	2.34
EC110	1.56	1.51	1.44	2	1.79	2	-	-	1.25	0.75	-	1	0.37	-
EE100	2.27	1.95	0.89	1.82	-	1.92	2.88	-	-	-	-	1.35	1.42	1.4
EE110	2.17	1.52	1.8	-	0.88	1.41	-	0.99	-	-	-	0.92	1.83	0.88
EE311	1.85	0.92	0.93	-	1.87	1.06	0.93	-	-	-	-	0.93	1.87	0.93
EE335	1.94	1.94	1.92	0.97	-	0.95	-	-	-	-	-	-	1.14	1
HS200	1.44	1	1.12	0.96	-	-	-	-	-	-	-	-	-	-
HS210	1.39	2.04	1.64	1.23	1.79	1.38	1.79	0.74	1.77	2.15	0.74	1.67	1.65	-
HS300	-	-	-	-	-	-	-	1.95	1.87	1	1.87	0.36	-	0.36
IE306	1.56	0.86	1.41	-	-	-	-	-	0.64	1.31	1.45	-	-	0.32
MA101	2.07	1.72	-	-	-	-	-	-	-	-	-	-	-	-
MA102	1.8	1.8	1.2	0.63	-	-	-	-	-	-	-	-	-	-
MA202	2.44	2.44	1.97	1.38	-	-	-	-	-	-	-	-	-	-
ME201	1.83	1.83	1.22	-	-	-	-	-	-	0.62	-	-	0.65	0.82
ME202	2.59	2.59	1.73	-	-	-	-	-	-	-	-	-	1.73	-
ME204	2.51	2.51	1.54	-	-	1.85	0.92	-	-	-	-	-	-	0.84
ME206	2.81	1.87	1.87	-	-	-	-	-	-	-	-	-	1.8	-
ME210	1.86	1.87	1.9	1.6	1.43	1.1	1.59	-	-	0.44	-	0.67	0.9	2.03
ME220	2.76	2.76	2.16	0.97	-	-	-	-	-	-	-	-	-	1.84
ME230	2	-	-	3	-	-	-	-	2	-	-	-	-	-







# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

ME231	2.14	2.01	2.04	-	2.38	-	-	-	-	-	-	-	2.24	1.83
ME232	2.73	1.85	1.16	2	-	-	-	-	2.48	1.16	-	-	-	1.08
ME301	2.6	2.6	1.69	0.98	0.97	-	-	-	-	-	-	1.47	2.17	1.97
ME302	2.47	2.47	0.82	0.83	-	-	-	-	-	-	-	-	-	-
ME303	2.97	2.18	1.5	-	1.5	-	-	-	-	-	-	-	-	-
ME304	1.38	1.77	1.07	0.58	-	-	-	-	-	-	-	-	1.51	1.55
ME305	2.22	2.22	1.88	1.88	1.57	1.88	-	-	1.88	-	1.57	1.57	2.22	2.22
ME306	2.23	2.06	1.65	1.49	2.91	-	-	-	-	-	-	-	-	-
ME308	1.24	1.32	-	-	0.77	-	-	-	-	-	-	-	2.52	-
ME312	2.65	2.65	1.76	-	-	-	-	-	-	0.68	-	-	2.6	2.49
ME331	1.83	1.42	1.1	1.22	-	-	-	-	-	-	-	-	-	1.83
ME332	3	2.67	3	3	3	-	-	-	-	3	-	2	3	3
ME334	2.67	2	2	-	-	-	-	-	2	-	-	-	2	-
ME341	3	2	3	1.67	3	1	1	1.5	3	2.83	-	-	-	2.33
ME352	1.77	1.77	1.77	1.18	0.59	0.59	0.59	1.18	1.18	1.77	-	0.59	-	-
ME367	2.97	1.98	-	-	1.98	2.96	-	-	-	-	-	-	-	1.98
ME368	2	1.5	-	2	1.67	-	-	1.33	2	3	-	-	-	-
ME401	1.7	1.5	1.5	1.42	-	-	-	-	-	-	-	-	-	0.96
ME402	2.39	2.28	2.28	1.49	-	-	-	-	-	-	-	-	-	1.57
ME403	2.76	1.93	1.83	-	-	1.84	2.69	-	-	2	-	-	-	1.06
ME404	2.34	-	2.07	-	1.75	2.32	-	1.74	1.76	1.98	1.98	2.06	-	-
ME405	2.51	1.67	1.67	1.86	-	1.76	1.77	-	-	-	-	1.76	-	1.86
ME407	1.79	1.7	1.54	-	2.38	1.36	-	-	-	-	-	-	2.32	-
ME409	2.61	2.4	1.45	1.58	1.96	-	-	-	-	-	-	-	0.81	0.89
ME431	2.41	1.9	1.94	-	-	-	-	-	1.93	-	-	-	-	-
ME451	2.75	2.57	2.5	2	2	2	2	3	3	3	3	3	2.5	2.5
ME463	1.37	-	1.24	0.72	0.72	-	-	-	-	-	-	1.37	0.72	1.24
ME474	2.36	2.36	1.57	1.57	1.57	-	-	-	-	-	-	-	-	0.79
ME492	2.51	2.51	2.33	2.33	2.24	1.79	1.79	1.94	2.33	2.33	2.33	2.24	2.46	2.46
PH100	1.75	1.98	1.86	-	2.51	-	-	-	-	-	-	-	-	-
PH110	2.16	2.38	2.18	-	3	-	-	-	-	-	-	-	-	-
<b>Average Direct Attainment</b>	<b>2.18</b>	<b>1.91</b>	<b>1.65</b>	<b>1.53</b>	<b>1.88</b>	<b>1.61</b>	<b>1.76</b>	<b>1.43</b>	<b>1.92</b>	<b>1.7</b>	<b>1.7</b>	<b>1.55</b>	<b>1.62</b>	<b>1.52</b>
<b>Average Indirect Attainment</b>	<b>2.61</b>	<b>2.31</b>	<b>1.97</b>	<b>1.88</b>	<b>2.19</b>	<b>1.84</b>	<b>2</b>	<b>1.6</b>	<b>2.2</b>	<b>2.05</b>	<b>2.03</b>	<b>1.8</b>	<b>1.88</b>	<b>1.79</b>
<b>Total</b>	<b>2.27</b>	<b>1.99</b>	<b>1.71</b>	<b>1.6</b>	<b>1.94</b>	<b>1.66</b>	<b>1.81</b>	<b>1.46</b>	<b>1.97</b>	<b>1.78</b>	<b>1.77</b>	<b>1.6</b>	<b>1.9</b>	<b>1.82</b>



# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERALA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

## Mechanical Engineering

### Overall levels of attainment

Batch: 2019-23

Course	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PSO 1	PSO 2
CET285	1.65	-	-	-	1.65	-	-	-	-	-	-	1.65	0.64	0.88
CET286	2.51	-	-	-	-	1.68	0.84	-	-	-	-	-	-	-
CET385	1.22	2.19	1.64	-	1.64	-	-	-	-	-	-	-	-	-
CET415	2.8	2.5	2	2.33	1.75	2	2.25	2.5	-	2.5	-	-	-	-
CST281	1.29	0.82	0.82	0.82	0.4	-	-	-	-	1.56	-	1.29	1.29	-
CST282	1.43	1.89	1.56	1.82	-	-	-	-	-	1.51	-	1.43	2.15	1.43
CST381	0.6	0.52	0.4	0.48	0.4	0.27	-	0.2	0.6	0.6	0.4	0.6	-	0.47
CSE445	1.47	1.81	1.68	-	1.49	-	-	-	-	-	-	1.92	1.56	1.56
CYT100	1.11	1.12	0.88	0.91	1.77	-	2.88	-	-	-	-	-	-	-
CYL120	3	-	-	-	2.17	-	-	-	-	-	-	3	-	-
EET283	1.24	1.24	-	-	-	-	-	-	-	-	-	0.83	-	-
EET284	2.5	2.5	-	-	-	-	-	-	-	-	-	1.67	1.81	1.67
EET383	0.6	0.6	0.6	-	-	-	-	-	-	-	-	0.4	-	-
EST100	2.6	2.6	-	-	-	-	-	-	-	-	-	-	0.85	1.32
EST102	2.3	1.67	1.4	1.4	2.27	-	-	-	-	0.91	1.4	0.77	1.4	1.4
EST110	2.7	0.84	-	3	3	-	-	-	-	1.96	-	-	-	-
ESL120	1.02	-	-	-	1	1	-	2	2	2	1	1	-	-
EST120	2.29	1.22	-	0.9	2.06	1.68	1.53	2.14	1.22	-	-	-	-	2.38
ESL130	2.3	-	-	0.89	1.77	1.77	-	0.89	2.21	1.48	-	1.48	1.59	1.4
EST130	2.01	0.84	-	-	-	-	-	-	-	-	-	1.65	-	1.7
EST200	1.98	1.49	2	-	-	1	1	1	2	1.5	-	1.5	1	1.66
HUN101	-	3	2	1	-	1.31	-	0.98	2.23	2.65	0.98	1.98	-	-
HUN102	2.99	2.99	-	-	-	2.99	-	-	2.66	1.33	-	1.99	-	1.49
HUT200	-	-	-	-	-	-	-	2.6	-	-	2	-	-	-
HUT300	1.92	1.9	0.93	-	1.99	1.46	2.99	-	-	-	2.87	-	-	-
HUT310	1.83	1.76	1.76	1.76	0.91	1.17	1.24	1.57	0.93	1.64	1.11	0.93	-	-
MAT102	2.57	2.57	2.57	2.57	1.71	0.86	-	-	0.86	1.71	-	1.71	-	-
MAT201	2.63	2.63	2.63	2.63	1.75	0.88	-	-	-	1.75	-	1.75	-	-
MAT202	2.77	1.85	1.85	1.85	1.85	-	-	-	-	1.85	-	0.92	-	-
MCN201	-	-	-	-	-	1.69	2.53	-	-	-	-	1.69	-	-
MCN202	-	-	-	-	-	2.51	2.01	2.51	-	2.45	-	-	-	-
MCN301	2.19	2.76	2.29	2	1.97	1.76	2.58	1.08	-	2.62	-	1.76	-	-
MCN401	1.99	1.79	1.99	1	0.99	1.19	1.19	1.19	0.99	0.99	-	0.99	-	-
MEL201	2.81	1.91	2	-	2.84	-	-	-	-	2.91	-	0.95	1.95	0.97
MET201	2.55	2.55	1.19	-	-	-	-	-	-	-	-	1.02	0.85	-
MEL202	2	1	-	-	-	-	-	2	3	2	-	2	-	-
MET202	2.31	2.31	1.65	1.46	-	-	-	-	-	-	-	1.08	0.9	1.26





# VIMAL JYOTHI ENGINEERING COLLEGE

JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

MEL203	2.52	2.4	1.9	1.13	2.52	1.2	1.2	0.6	2.4	2.15	2.15	2.15	-	2.52
MET203	2.29	1.68	0.92	-	-	-	-	-	-	-	-	-	-	1.25
MEL204	2	3	3	2	2	-	-	-	-	-	-	-	-	-
MET204	2.95	2.53	1.03	2.67	-	-	-	-	-	-	-	1.96	-	2.3
MET205	2.82	2.85	-	1.97	2.95	-	-	-	-	-	-	1.97	-	1.97
MET206	2.54	2.54	1.69	-	-	-	-	-	-	-	-	-	-	1.71
MET294	2.44	1.43	0.81	0.81	-	-	-	-	-	-	-	-	0.81	-
MET301	2.09	1.84	1.46	1.11	1.27	-	-	-	-	-	-	-	-	-
MET302	2.55	2.55	2.33	-	-	-	-	-	-	-	-	1.48	-	-
MET303	2.41	2.41	1.61	-	-	-	-	-	-	-	-	-	-	-
MET304	2.4	2.4	1.6	-	-	-	-	-	-	-	-	-	-	-
MET305	2.18	0.97	-	1.96	1.67	1	-	-	1.98	1.99	1.78	1.95	-	-
MET306	1.68	2.47	1.65	1.69	-	-	-	-	-	-	1.35	1.49	1.38	1.35
MET307	1.61	1.52	1.71	1.5	1.84	-	-	-	-	-	1.4	1.33	-	-
MET308	0.67	0.55	-	-	-	-	-	-	-	-	-	0.49	-	-
MET312	2.86	2.86	1.51	-	-	-	-	-	-	-	-	1.35	-	-
MEL331	3	3	3	3	3	-	-	-	-	-	-	-	-	-
MEL332	2.93	2.27	1.97	-	-	-	-	1.48	2.28	2.55	-	-	2.93	2.93
MEL333	2.46	-	1.64	2.46	-	-	1.64	-	2.46	1.64	-	1.64	-	-
MEL334	2.85	-	1.9	2.85	-	-	1.9	-	2.85	1.9	-	1.9	-	1.81
MET352	2.71	-	-	-	-	-	-	-	-	-	-	2.71	-	1.8
MET401	2.62	2.68	2.68	2.74	-	-	-	-	-	-	-	-	1.79	0.89
MET402	2.74	1.62	1.7	-	2.81	-	-	-	-	-	-	-	0.91	-
MEL411	2.99	1.99	1.99	2.99	2.99	-	1.99	-	2.99	1.99	-	1.99	3	2.5
MEQ413	2.8	2.5	2	2.33	2.49	2	1	1.33	-	2.67	-	3	-	-
MED415	2	2.33	2.33	1	1.8	2.5	2.5	1.75	1.8	2	1.6	1.33	3	3
MED416	2	2.33	2.33	1	1.8	2.5	2.5	1.75	1.8	2	1.6	1.33	2.8	3
MET416	2.78	2.78	-	-	-	-	-	-	-	-	-	-	-	-
MET458	2.74	0.91	-	-	-	0.87	0.87	-	-	-	-	-	-	-
MET464	2.39	-	-	1.88	0.98	-	1.12	-	1.92	0.96	1.12	0.98	-	1.88
MET473	2.64	1.54	1.45	1.54	-	1.87	1.77	-	-	-	-	1.02	-	1.44
PHT110	2.79	1.49	-	-	-	-	-	0.93	1.86	-	-	0.93	-	-
PHL120	2.72	-	-	-	1.81	-	-	0.91	1.81	-	-	0.91	-	-
<b>Average Direct Attainment</b>	<b>2.25</b>	<b>1.97</b>	<b>1.73</b>	<b>1.76</b>	<b>1.87</b>	<b>1.55</b>	<b>1.79</b>	<b>1.47</b>	<b>1.95</b>	<b>1.86</b>	<b>1.48</b>	<b>1.49</b>	<b>1.63</b>	<b>1.72</b>
<b>Average Indirect Attainment</b>	<b>2.67</b>	<b>2.37</b>	<b>2.11</b>	<b>2.04</b>	<b>2.16</b>	<b>1.75</b>	<b>1.99</b>	<b>1.68</b>	<b>2.2</b>	<b>2.1</b>	<b>1.78</b>	<b>1.83</b>	<b>1.94</b>	<b>2.07</b>
<b>Total</b>	<b>2.33</b>	<b>2.05</b>	<b>1.81</b>	<b>1.82</b>	<b>1.92</b>	<b>1.59</b>	<b>1.83</b>	<b>1.51</b>	<b>2</b>	<b>1.91</b>	<b>1.54</b>	<b>1.55</b>	<b>1.91</b>	<b>1.98</b>



# VIMAL JYOTHI ENGINEERING COLLEGE

**JYOTHI NAGAR, CHEMPERI - 670632, KANNUR, KERELA**

Affiliated to APJ Abdul Kalam Technological University, Approved by AICTE  
ISO 9001: 2015 Certified | Accredited by Institution of Engineers (India), NBA, NAAC  
Ph: 0490 2212240, 2213399 Email: office@vjec.ac.in Website: www.vjec.ac.in

NAAC Cycle 2

Criterion: 2.6.2

## PO and PSO Attainment ME Department

